



REGIONAL REVIEW NOTIFICATION

Atlanta Regional Commission • 40 Courtland Street NE, Atlanta, Georgia 30303 • ph: 404.463.3100 • fax: 404.463.3105 • www.atlantaregional.com

DATE: Aug 8 2008

ARC REVIEW CODE: R808081

TO: Chairman Charles Bannister
ATTN TO: Jeff West, Planning Manager
FROM: Charles Krautler, Director

NOTE: This is digital
signature. Original on file.

The Atlanta Regional Commission (ARC) has received the following proposal and is initiating a regional review to seek comments from potentially impacted jurisdictions and agencies. The ARC requests your comments related to the proposal not addressed by the Commission's regional plans and policies.

Name of Proposal: Lakes Parkway Mixed Use
Review Type: Development of Regional Impact

Description: The proposed Lakes Parkway Mixed Use is a mixed use development located on 11.6 acres in Gwinnett County. The proposed development will consist of 648,000 square feet of office, 59,685 square feet of retail, a 155 room hotel, and 333 residential units. The proposed development is located along Lakes Parkway near Purcell Road just east of Sugarloaf Parkway.

Submitting Local Government: Gwinnett County

Date Opened: Aug 8 2008

Deadline for Comments: Aug 22 2008

Earliest the Regional Review can be Completed: Sep 8 2008

THE FOLLOWING LOCAL GOVERNMENTS AND AGENCIES ARE RECEIVING NOTICE OF THIS REVIEW:

ARC LAND USE PLANNING
ARC DATA RESEARCH
GEORGIA DEPARTMENT OF NATURAL RESOURCES
GWINNETT COUNTY
CITY OF DULUTH

ARC TRANSPORTATION PLANNING
ARC AGING DIVISION
GEORGIA DEPARTMENT OF TRANSPORTATION
GWINNETT COUNTY SCHOOLS
CITY OF LILBURN

ARC ENVIRONMENTAL PLANNING
GEORGIA DEPARTMENT OF COMMUNITY AFFAIRS
GEORGIA REGIONAL TRANSPORTATION AUTHORITY
CITY OF LAWRENCEVILLE
GWINNETT PLACE CID

Attached is information concerning this review.

If you have any questions regarding this review, Please call Haley Fleming, Review Coordinator, at (404) 463-3311. If the ARC staff does not receive comments from you by Aug 22 2008, we will assume that your agency has no additional comments and we will close the review. Comments by email are strongly encouraged.

The ARC review website is located at: <http://www.atlantaregional.com/landuse> .



REGIONAL REVIEW NOTIFICATION

Atlanta Regional Commission • 40 Courtland Street NE, Atlanta, Georgia 30303 • ph: 404.463.3100 • fax:404.463.3105 • www.atlantaregional.com



DEVELOPMENT OF REGIONAL IMPACT

DRI- REQUEST FOR COMMENTS

Instructions: The project described below has been submitted to this Regional Development Center for review as a Development of Regional Impact (DRI). A DRI is a development of sufficient project of sufficient scale or importance that it is likely to have impacts beyond the jurisdiction in which the project is actually located, such as adjoining cities or neighboring counties. We would like to consider your comments on this proposed development in our DRI review process. Therefore, please review the information about the project included on this form and give us your comments in the space provided. The completed form should be returned to the RDC on or before the specified return deadline.

Preliminary Findings of the RDC: Lakes Parkway Mixed Use See the Preliminary Report .

Comments from affected party (attach additional sheets as needed):

Individual Completing form:

Local Government:

Department:

Telephone: ()

Signature:

Date:

Please Return this form to:

Haley Fleming, Atlanta Regional Commission
40 Courtland Street NE
Atlanta, GA 30303
Ph. (404) 463-3311 Fax (404) 463-3254
hffleming@atlantaregional.com

Return Date: Aug 22 2008

ARC STAFF NOTICE OF REGIONAL REVIEW AND COMMENT FORM

DATE: Aug 8 2008

ARC REVIEW CODE: R808081

TO: ARC Land Use, Environmental, Transportation, Research, and Aging Division Chiefs

FROM: Haley Fleming, Review Coordinator, Extension: 3-3311

Reviewing staff by Jurisdiction:

Land Use: Tuley, Jon

Transportation: Kray, Michael

Environmental: Santo, Jim

Research: Skinner, Jim

Aging: Rader, Carolyn

Name of Proposal: Lakes Parkway Mixed Use

Review Type: Development of Regional Impact

Description: The proposed Lakes Parkway Mixed Use is a mixed use development located on 11.6 acres in Gwinnett County. The proposed development will consist of 648,000 square feet of office, 59,685 square feet of retail, a 155 room hotel, and 333 residential units. The proposed development is located along Lakes Parkway near Purcell Road just east of Sugarloaf Parkway.

Submitting Local Government: Gwinnett County

Date Opened: Aug 8 2008

Deadline for Comments: Aug 22 2008

Earliest the Regional Review can be Completed: Sep 8 2008

Response:

- 1) ☐ Proposal is CONSISTENT with the following regional development guide listed in the comment section.
- 2) ☐ While neither specifically consistent nor inconsistent, the proposal relates to the following regional development guide listed in the comment section.
- 3) ☐ While neither specifically consistent nor inconsistent, the proposal relates to the following regional development guide listed in the comment section.
- 4) ☐ The proposal is INCONSISTENT with the following regional development guide listed in the comment section.
- 5) ☐ The proposal does NOT relate to any development guide for which this division is responsible.
- 6) ☐ Staff wishes to confer with the applicant for the reasons listed in the comment section.


COMMENTS:

Preliminary Report:	August 8, 2008	DEVELOPMENT OF REGIONAL IMPACT REVIEW REPORT	Project:	Lakes Parkway Mixed Use (#1849)
Final Report Due:	September 8, 2008		Comments Due By:	August 22, 2008

PRELIMINARY REPORT SUMMARY

PROPOSED DEVELOPMENT:

The proposed Lakes Parkway Mixed Use is a mixed use development located on 11.6 acres in Gwinnett County. The proposed development will consist of 648,000 square feet of office, 59,685 square feet of retail, a 155 room hotel, and 333 residential units. The proposed development is located along Lakes Parkway near Purcell Road just east of Sugarloaf Parkway.



PROJECT PHASING:

The project is being proposed in one phase with a project build out date for 2012.

GENERAL

According to information on the review form or comments received from potentially affected governments:

Is the proposed project consistent with the host-local government's comprehensive plan? If not, identify inconsistencies.

The project site is currently zoned M-1 (light industrial). The proposed zoning for the site is MOU (mixed use overlay) Information submitted for the review states that the proposed development is not consistent with the Gwinnett County's Future Land Use Plan, which designates the area as Commercial-retail and Office/ Distribution/Technology.

Is the proposed project consistent with any potentially affected local government's comprehensive plan? If not, identify inconsistencies.

This will be determined based on comments received from potentially impacted local governments.

Will the proposed project impact the implementation of any local government's short-term work program? If so, how?

This will be determined based on comments received from potentially impacted local governments.

Will the proposed project generate population and/or employment increases in the Region? If yes, what would be the major infrastructure and facilities improvements needed to support the increase?

Yes, the proposed development would increase the need for services in the area for existing and future residents.

Preliminary Report:	August 8, 2008	DEVELOPMENT OF REGIONAL IMPACT REVIEW REPORT	Project:	Lakes Parkway Mixed Use (#1849)
Final Report Due:	September 8, 2008		Comments Due By:	August 22, 2008

What other major development projects are planned near the proposed project?

The ARC has reviewed other major development projects, known as Area Plan (1984 to 1991) or as a DRI (1991 to present), within a two mile radius of the proposed project.

Year	Name
2000	Scientific Atlanta
1986	Bentley Mixed Use
1986	Corporate Lakes
1984	Waterford Park

Will the proposed project displace housing units or community facilities? If yes, identify and give number of units, facilities, etc.

No, the proposed development will not displace any housing units or community facilities. Based on information submitted for the review, there is currently a 20,000 square foot office building on the site.

Will the development cause a loss in jobs? If yes, how many?

No.

Is the proposed development consistent with regional plans and policies?

The proposed development meets many of ARC's Regional Development Policies, as well as the Atlanta Region Unified Growth Policy Map. The proposed development is located in the mega corridor which is the most intensely developed radial corridors in the region. The proposed development is also located in a Regional Center and a Freight Area. Regional Centers are defined as areas of intense office, retail, and residential uses that are integrated or separate. Freight Areas are areas that serve freight or industrial uses. The proposed development is also located in the Gwinnett LCI study area.

The proposed development is located within the Gwinnett LCI Study area; therefore, it should meet or exceed the goals of the study as well as the Regional Development Plan Policies. The proposed development is located in the Education Sector character area. The Gwinnett LCI study called for pedestrian friendly amenities and street design, and bicycle facilities along transportation facilities. Buildings should also be set close to the street and have ground floor retail. ARC recommends collaboration with Gwinnett County through the architectural design phase to address the architectural façade of the parking deck along Lakes Parkway with the goal of an end result that promotes aesthetically pleasing characteristics consistent with the Gwinnett LCI study.

The proposed development is located in a Freight Area. These are areas that contain major freight or industrial land uses. While proposed this development does not contain any freight or industrial uses, freight traffic from the surrounding uses needs to be taken in account in the design of the transportation recommendations.

Preliminary Report:	August 8, 2008	DEVELOPMENT OF REGIONAL IMPACT REVIEW REPORT	Project:	Lakes Parkway Mixed Use (#1849)
Final Report Due:	September 8, 2008		Comments Due By:	August 22, 2008

PRELIMINARY REPORT

Regional Development Plan Policies

1. Provide sustainable economic growth in all areas of the region.
2. Encourage new homes and jobs within existing developed areas of the region, focusing on principal transportation corridors, the Central Business District, activity centers, and town centers.
3. Increase opportunities for mixed use development, transit-oriented development, infill, and redevelopment.
4. At strategic regional locations, plan and retail industrial and freight land uses.
5. Design transportation infrastructure to protect the context of adjoining development and provide a sense of place appropriate for our communities.
6. Promote the reclamation of Brownfield development sites.
7. Protect the character and integrity of existing neighborhoods, while also meeting the needs of communities to grow.
8. Encourage a variety of homes styles, densities, and price ranges in locations that are accessible to jobs and services to ensure housing for individuals and families of all incomes and age groups.
9. Promote new communities that feature greenspace and neighborhood parks, pedestrian scale, support transportation options, and provide an appropriate mix of uses and housing types.
10. Promote sustainable and energy efficient development.
11. Protect environmentally-sensitive areas including wetlands, floodplains, small water supply watersheds, rivers and stream corridors.
12. Increase the amount, quality, and connectivity, and accessibility of greenspace.
13. Provide strategies to preserve and enhance historic resources
14. Through regional infrastructure planning, limit growth in undeveloped areas of the region
15. Assist local governments to adopt growth management strategies that make more efficient use of existing infrastructure.
16. Inform and involve the public in planning at regional, local, and neighborhood levels.
17. Coordinate local policies and regulations to support Regional Policies
18. Encourage the development of state and regional growth management policy.

BEST LAND USE PRACTICES

Practice 1: Keep vehicle miles of travel (VMT) below the area average. Infill developments are the best at accomplishing this. The more remote a development the more self contained it must be to stay below the area average VMT.

Practice 2: Contribute to the area's jobs-housing balance. Strive for a job-housing balance with a three to five mile area around a development site.

Practice 3: Mix land uses at the finest grain the market will bear and include civic uses in the mix.

Practice 4: Develop in clusters and keep the clusters small. This will result in more open space preservation.



Preliminary Report:	August 8, 2008	DEVELOPMENT OF REGIONAL IMPACT REVIEW REPORT	Project:	Lakes Parkway Mixed Use (#1849)
Final Report Due:	September 8, 2008		Comments Due By:	August 22, 2008

Practice 5: Place higher-density housing near commercial centers, transit lines and parks. This will enable more walking, biking and transit use.

Practice 6: Phase convenience shopping and recreational opportunities to keep pace with housing. These are valued amenities and translate into less external travel by residents if located conveniently to housing.

Practice 7: Make subdivisions into neighborhoods with well-defined centers and edges. This is traditional development.

Practice 8: Reserve school sites and donate them if necessary to attract new schools. This will result in neighborhood schools which provide a more supportive learning environment than larger ones.

Practice 9: Concentrate commercial development in compact centers or districts, rather than letting it spread out in strips.

Practice 10: Make shopping centers and business parks into all-purpose activity centers. Suburban shopping centers and their environs could be improved by mixing uses and designing them with the pedestrian amenities of downtowns.

Practice 11: Tame auto-oriented land uses, or at least separate them from pedestrian-oriented uses. Relegate "big box" stores to areas where they will do the least harm to the community fabric.

BEST TRANSPORTATION PRACTICES

Practice 1: Design the street network with multiple connections and relatively direct routes.

Practice 2: Space through-streets no more than a half mile apart, or the equivalent route density in a curvilinear network.

Practice 3: Use traffic-calming measures liberally. Use short streets, sharp curves, center islands, traffic circles, textured pavements, speed bumps and raised crosswalks.

Practice 4: Keep speeds on local streets down to 20 mph.

Practice 5: Keep speeds on arterials and collectors down to 35 mph (at least inside communities).

Practice 6: Keep all streets as narrow as possible and never more than four traffic lanes wide. Florida suggests access streets 18 feet, subcollectors 26 feet, and collectors from 28 feet to 36 feet depending on lanes and parking.

Practice 7: Align streets to give buildings energy-efficient orientations. Allow building sites to benefit from sun angles, natural shading and prevailing breezes.

Practice 8: Avoid using traffic signals wherever possible and always space them for good traffic progression.

Practice 9: Provide networks for pedestrians and bicyclists as good as the network for motorists.

Practice 10: Provide pedestrians and bicyclists with shortcuts and alternatives to travel along high-volume streets.

Practice 11: Incorporate transit-oriented design features.

Practice 12: Establish TDM programs for local employees. Ridesharing, modified work hours, telecommuting and others.

BEST ENVIRONMENTAL PRACTICES

Practice 1: Use a systems approach to environmental planning. Shift from development orientation to basins or ecosystems planning.

Practice 2: Channel development into areas that are already disturbed.

Practice 3: Preserve patches of high-quality habitat, as large and circular as possible, feathered at the edges and connected by wildlife corridors. Stream corridors offer great potential.

Practice 4: Design around significant wetlands.

Practice 5: Establish upland buffers around all retained wetlands and natural water bodies.

Practice 6: Preserve significant uplands, too.

Practice 7: Restore and enhance ecological functions damaged by prior site activities.

Practice 8: Detain runoff with open, natural drainage systems. The more natural the system the more valuable it will be for wildlife and water quality.

Practice 9: Design man-made lakes and stormwater ponds for maximum environmental value. Recreation, stormwater management, wildlife habitat and others.

Preliminary Report:	August 8, 2008	DEVELOPMENT OF REGIONAL IMPACT REVIEW REPORT	Project:	Lakes Parkway Mixed Use (#1849)
Final Report Due:	September 8, 2008		Comments Due By:	August 22, 2008

Practice 10: Use reclaimed water and integrated pest management on large landscaped areas. Integrated pest management involves controlling pests by introducing their natural enemies and cultivating disease and insect resistant grasses.

Practice 11: Use and require the use of Xeriscape™ landscaping. Xeriscaping™ is water conserving landscape methods and materials.

BEST HOUSING PRACTICES

Practice 1: Offer “life cycle” housing. Providing integrated housing for every part of the “life cycle”.

Practice 2: Achieve an average net residential density of six to seven units per acre without the appearance of crowding. Cluster housing to achieve open space.

Practice 3: Use cost-effective site development and construction practices. Small frontages and setbacks; rolled curbs or no curbs; shared driveways.

Practice 4: Design of energy-saving features. Natural shading and solar access.

Practice 5: Supply affordable single-family homes for moderate-income households.

Practice 6: Supply affordable multi-family and accessory housing for low-income households.

Practice 7: Tap government housing programs to broaden and deepen the housing/income mix.

Practice 8: Mix housing to the extent the market will bear.

LOCATION

Where is the proposed project located within the host-local government's boundaries?

The proposed development is located along Lakes Parkway near Purcell Road just east of Sugarloaf Parkway, north of GA 316.

Will the proposed project be located close to the host-local government's boundary with another local government? If yes, identify the other local government.

The proposed development is entirely within Gwinnett County; however it is located near the City of Lawrenceville and less than five miles from the City of Berkeley Lake and the City of Duluth.

Will the proposed project be located close to land uses in other jurisdictions that would benefit, or be negatively impacted, by the project? Identify those land uses which would benefit and those which would be negatively affected and describe impacts.

To be determined during the review.

ECONOMY OF THE REGION

According to information on the review form or comments received from potentially affected governments:

What new taxes will be generated by the proposed project?

Estimated value of the development is \$377,000,000 with an expected \$5,014,500 in annual local tax revenues.

Preliminary Report:	August 8, 2008	DEVELOPMENT OF REGIONAL IMPACT REVIEW REPORT	Project:	Lakes Parkway Mixed Use (#1849)
Final Report Due:	September 8, 2008		Comments Due By:	August 22, 2008

How many short-term jobs will the development generate in the Region?

Short-term jobs will depend upon construction schedule.

Is the regional work force sufficient to fill the demand created by the proposed project?

Yes.

In what ways could the proposed development have a positive or negative impact on existing industry or business in the Region?

To be determined during the review.

NATURAL RESOURCES

Stream Buffers and Watershed Protection

The proposed project site is located in the Yellow River watershed, which is not a water supply watershed in the Atlanta Region or in the Metro Water District. The USGS coverage for the project area shows no streams on the property. Any streams that are on the property will be subject to the requirements of the Gwinnett County Stream Buffer Ordinance. Any state waters on the property will be subject to the State Erosion and Sedimentation Act 25-foot stream buffer.

Storm Water / Water Quality

The project should adequately address the impacts of the proposed development on stormwater runoff and downstream water quality. During construction, the project should conform to the relevant state and federal erosion and sedimentation control requirements. After construction, water quality will be impacted due to polluted stormwater runoff. ARC has estimated the amount of pollutants that will be produced after construction of the proposed development. These estimates are based on some simplifying assumptions for typical pollutant loading factors (lbs/ac/yr). The loading factors are based on regional storm water monitoring data from the Atlanta Region. Because of the coverage of the proposed project, commercial was selected as the use on the property. The following table summarizes the results of the analysis:

Estimated Pounds of Pollutants Per Year:

Land Use	Land Area (ac)	Total Phosphorus	Total Nitrogen	BOD	TSS	Zinc	Lead
Commercial	11.58	19.80	201.49	1250.64	11383.14	14.24	2.55
TOTAL	11.58	19.80	201.49	1250.64	11383.14	14.24	2.55

Total percent impervious: 85%

In order to address post-construction stormwater runoff quality, the project should implement stormwater management controls (structural and/or nonstructural) as found in the Georgia Stormwater Management Manual (www.georgiastormwater.com) and meet the stormwater management quantity



Preliminary Report:	August 8, 2008	DEVELOPMENT OF REGIONAL IMPACT REVIEW REPORT	Project:	Lakes Parkway Mixed Use (#1849)
Final Report Due:	September 8, 2008		Comments Due By:	August 22, 2008

and quality criteria outlined in the Manual. Where possible, the project should utilize the stormwater better site design concepts included in the Manual.

HISTORIC RESOURCES

Will the proposed project be located near a national register site? If yes, identify site.

None have been identified.

In what ways could the proposed project create impacts that would damage the resource?

Not applicable.

In what ways could the proposed project have a positive influence on efforts to preserve or promote the historic resource?

Not applicable.

INFRASTRUCTURE

Transportation

To be determined during the review.

The development **PASSES** the ARC's Air Quality Benchmark test.

Air Quality Impacts/Mitigation (based on ARC strategies)	Credits	Total
Where Retail/Office is dominant, FAR >.8	6%	6%
Where Office is dominant, 10% Residential or 10% Retail	4%	4%
	3%	3%
Bike/ped networks that meet Mixed Use or Density target and connect to adjoining uses	5%	5%
Total Calculated ARC Air Quality Credits (15 % reduction required)		18%

What are the conclusions of this review? Is the transportation system (existing and planned) capable of accommodating these trips?

To be determined during the review

Preliminary Report:	August 8, 2008	DEVELOPMENT OF REGIONAL IMPACT REVIEW REPORT	Project:	Lakes Parkway Mixed Use (#1849)
Final Report Due:	September 8, 2008		Comments Due By:	August 22, 2008

INFRASTRUCTURE

Wastewater and Sewage

Wastewater is estimated at 0.16 MGD based on information submitted for the review.

Which facility will treat wastewater from the project?

F.Wayne Hill Plant will provide wastewater treatment for the proposed development.

What is the current permitted capacity and average annual flow to this facility?

The capacity of F. Wayne Hill Site is listed below:

PERMITTED CAPACITY MMF, MGD ₁	DESIGN CAPACITY MMF, MGD	2001 MMF, MGD	2008 MMF, MGD	2008 CAPACITY AVAILABLE +/-, MGD	PLANNED EXPANSION	REMARKS
20	20	9	20	0	Expansion to 60 mgd by 2005.	Combined discharge to Chattahoochee River with Crooked Creek plant. 40 mgd expansion to discharge to Lake Lanier.

MMF: Maximum Monthly Flow. Mgd: million of gallons per day.

*₁ Source: Metropolitan North Georgia Water Planning District **SHORT-TERM WASTEWATER CAPACITY PLAN**, August 2002.*

What other major developments will be served by the plant serving this project?

ARC has reviewed a number of major developments that will be served by this plant.

INFRASTRUCTURE

Water Supply and Treatment

How much water will the proposed project demand?

Water demand also is estimated at 0.18 MGD based on information submitted for the review.

Preliminary Report:	August 8, 2008	DEVELOPMENT OF REGIONAL IMPACT REVIEW REPORT	Project:	Lakes Parkway Mixed Use (#1849)
Final Report Due:	September 8, 2008		Comments Due By:	August 22, 2008

How will the proposed project's demand for water impact the water supply or treatment facilities of the jurisdiction providing the service?

Information submitted with the review suggests that there is sufficient water supply capacity available for the proposed project.

INFRASTRUCTURE

Solid Waste

How much solid waste will be generated by the project? Where will this waste be disposed?

Information submitted with the review 1193 tons of solid waste per year and the waste will be disposed of in Gwinnett County.

Will the project create any unusual waste handling or disposal problems?

No.

Are there any provisions for recycling this project's solid waste.

None stated.

INFRASTRUCTURE

Other facilities

According to information gained in the review process, will there be any unusual intergovernmental impacts on:

- Levels of governmental services?
- Administrative facilities?
- Schools?
- Libraries or cultural facilities?
- Fire, police, or EMS?
- Other government facilities?
- Other community services/resources (day care, health care, low income, non-English speaking, elderly, etc.)?

To be determined during the review.

Preliminary Report:	August 8, 2008	DEVELOPMENT OF REGIONAL IMPACT REVIEW REPORT	Project:	Lakes Parkway Mixed Use (#1849)
Final Report Due:	September 8, 2008		Comments Due By:	August 22, 2008

HOUSING

Will the proposed project create a demand for additional housing?

No, the proposed development will add 333 new residential units.

Will the proposed project provide housing opportunities close to existing employment centers?

Yes, once developed, this project will provide housing opportunities for existing employment centers as well as providing opportunities for individuals to live and work within close proximity to one another.

Is there housing accessible to the project in all price ranges demanded?

The site proposed for the development is located in Census Tract 505.11. This tract had an 46.46 percent increase in number of housing units from 2000 to 2007 according to ARC's Population and Housing Report. The report shows that 65 percent of the housing units are single-family, compared to 69 percent for the region; thus indicating there is a variety of multi-family housing options around the development area.

Is it likely or unlikely that potential employees of the proposed project will be able to find affordable* housing?

Likely, assuming the development is approved with multiple price ranges of housing.

* Defined as 30 percent of the income of a family making 80 percent of the median income of the Region – FY 2000 median income of \$51,649 for family of 4 in Georgia.

Developments of Regional Impact

[DRI Home](#) [DRI Rules](#) [Thresholds](#)
[Tier Map](#)
[FAQ](#) [Apply](#) [View Submissions](#) [Login](#)

DRI #1849

DEVELOPMENT OF REGIONAL IMPACT Initial DRI Information

This form is to be completed by the city or county government to provide basic project information that will allow the RDC to determine if the project appears to meet or exceed applicable DRI thresholds. Refer to both the [Rules for the DRI Process](#) and the [DRI Tiers and Thresholds](#) for more information.

Local Government Information

Submitting Local Government: Gwinnett County

Individual completing form: Jeff West, Planning Manager

Telephone: 678-518-6200

E-mail: jeffrey.west@gwinnettcountry.com

*Note: The local government representative completing this form is responsible for the accuracy of the information contained herein. If a project is to be located in more than one jurisdiction and, in total, the project meets or exceeds a DRI threshold, the local government in which the largest portion of the project is to be located is responsible for initiating the DRI review process.

Proposed Project Information

Name of Proposed Project: Lakes Parkway Mixed Use Development

Location (Street Address, GPS Coordinates, or Legal Land Lot Description): Lakes Parkway at the Highway 316/Sugarloaf Parkway Interchange

Brief Description of Project: Mixed Use Development (11.5-acres, 1.2 million square feet)

Development Type:

(not selected)

Hotels

Wastewater Treatment
Facilities

Office

Mixed Use

Petroleum Storage Facilities

Commercial

Airports

Water Supply Intakes/
Reservoirs

Wholesale & Distribution

Attractions & Recreational
Facilities

Intermodal Terminals

Hospitals and Health Care
Facilities

Post-Secondary Schools

Truck Stops

Housing

Waste Handling Facilities

Any other development types

Industrial

Quarries, Asphalt &
Cement Plants

If other development type, describe:

Project Size (# of units, floor area, etc.):	59,685 sq ft retail, 648,408 sq ft office, 333 condominiums, 155-room hotel
Developer:	Vintage Communities, Inc.
Mailing Address:	1720 Lakes Parkway
Address 2:	Suite 100
	City:Lawrenceville State: GA Zip:30043
Telephone:	770-513-1857
Email:	eric@vintagecommunities.net
Is property owner different from developer/ applicant?	(not selected) Yes No
If yes, property owner:	
Is the proposed project entirely located within your local government's jurisdiction?	(not selected) Yes No
If no, in what additional jurisdictions is the project located?	
Is the current proposal a continuation or expansion of a previous DRI?	(not selected) Yes No
If yes, provide the following information:	Project Name:
	Project ID:
The initial action being requested of the local government for this project:	Rezoning Variance Sewer Water Permit Other
Is this project a phase or part of a larger overall project?	(not selected) Yes No
If yes, what percent of the overall project does this project/phase represent?	
Estimated Project Completion Dates:	This project/phase: 2012 Overall project: 2012
Back to Top	

Developments of Regional Impact

[DRI Home](#) [DRI Rules](#) [Thresholds](#)
[Tier Map](#)
[FAQ](#) [Apply](#) [View Submissions](#) [Login](#)

DRI #1849

DEVELOPMENT OF REGIONAL IMPACT Additional DRI Information

This form is to be completed by the city or county government to provide information needed by the RDC for its review of the proposed DRI. Refer to both the [Rules for the DRI Process](#) and the [DRI Tiers and Thresholds](#) for more information.

Local Government Information

Submitting Local Government:	Gwinnett County
Individual completing form:	Jeff West, Planning Manager
Telephone:	678-518-6200
Email:	jeffrey.west@gwinnettcountry.com

Project Information

Name of Proposed Project:	Lakes Parkway Mixed Use Development
DRI ID Number:	1849
Developer/Applicant:	Vintage Communities, Inc.
Telephone:	770-513-1857
Email(s):	eric@vintagecommunities.net

Additional Information Requested

Has the RDC identified any additional information required in order to proceed with the official regional review process? (If no, proceed to Economic Impacts.)	(not selected) Yes No
If yes, has that additional information been provided to your RDC and, if applicable, GRTA?	(not selected) Yes No

If no, the official review process can not start until this additional information is provided.

Economic Development

Estimated Value at Build-Out:	\$377,000,000
Estimated annual local tax revenues (i.e., property tax, sales tax) likely to be generated by the proposed development:	\$5,014,500
Is the regional work force sufficient to fill the demand created by the proposed project?	(not selected) Yes No
Will this development displace any existing uses?	(not selected) Yes No

If yes, please describe (including number of units, square feet, etc): An existing 20,000 square foot office building, adjacent parking and detention pond would be redeveloped.

Water Supply

Name of water supply provider for this site: Gwinnett County

What is the estimated water supply demand to be generated by the project, measured in Millions of Gallons Per Day (MGD)? 0.18 mgd

Is sufficient water supply capacity available to serve the proposed project? (not selected) Yes No

If no, describe any plans to expand the existing water supply capacity:

Is a water line extension required to serve this project? (not selected) Yes No

If yes, how much additional line (in miles) will be required?

Wastewater Disposal

Name of wastewater treatment provider for this site: Gwinnett County

What is the estimated sewage flow to be generated by the project, measured in Millions of Gallons Per Day (MGD)? 0.16 mgd

Is sufficient wastewater treatment capacity available to serve this proposed project? (not selected) Yes No

If no, describe any plans to expand existing wastewater treatment capacity:

Is a sewer line extension required to serve this project? (not selected) Yes No

If yes, how much additional line (in miles) will be required?

Land Transportation

How much traffic volume is expected to be generated by the proposed development, in peak hour vehicle trips per day? (If only an alternative measure of volume is available, please provide.) 10,162 (1,216 peak PM)

Has a traffic study been performed to determine whether or not transportation or access improvements will be needed to serve this project? (not selected) Yes No



Are transportation improvements needed to serve this project? (not selected) Yes No

If yes, please describe below: See TIS

Solid Waste Disposal

How much solid waste is the project expected to generate annually (in tons)?	1,193 tons per annum		
Is sufficient landfill capacity available to serve this proposed project?	(not selected)	Yes	No
If no, describe any plans to expand existing landfill capacity:			
Will any hazardous waste be generated by the development?	(not selected)	Yes	No
If yes, please explain:			
Stormwater Management			
What percentage of the site is projected to be impervious surface once the proposed development has been constructed?	75%		
Describe any measures proposed (such as buffers, detention or retention ponds, pervious parking areas) to mitigate the project's impacts on stormwater management: The development will comply with all state and Gwinnett County requirements for stormwater control. A centrally located detention pond and a pond at the northeast corner are the primary means of control prior to discharge.			
Environmental Quality			
Is the development located within, or likely to affect any of the following:			
1. Water supply watersheds?	(not selected)	Yes	No
2. Significant groundwater recharge areas?	(not selected)	Yes	No
3. Wetlands?	(not selected)	Yes	No
4. Protected mountains?	(not selected)	Yes	No
5. Protected river corridors?	(not selected)	Yes	No
6. Floodplains?	(not selected)	Yes	No
7. Historic resources?	(not selected)	Yes	No
8. Other environmentally sensitive resources?	(not selected)	Yes	No
If you answered yes to any question above, describe how the identified resource(s) may be affected:			
Back to Top			

- LEGEND
- ANGLE IRON FOUND
 - C&G CURB AND GUTTER
 - CI CROWN TOP PIPE
 - CMF CONCRETE MONUMENT FOUND
 - DI DROP INLET
 - DWBC DOUBLE WING CATCH BASIN
 - DB,PG DEED BOOK, PAGE
 - EP EDGE OF PAVEMENT
 - EA EDGE OF ASPHALT
 - EH FIRE HYDRANT
 - GL GAS LINE
 - GW GUY WIRE
 - HW HEAD WALL
 - HWF HOOD WIRE FENCE
 - JB JUNCTION BOX
 - IPF IRON PIN FOUND
 - IPS IRON PIN SET (1/2" R/B)
 - LL LAND LOT
 - LLP LAND LOT LINE
 - LP LIGHT POLE
 - MH MANHOLE
 - N/OF NOW OR FORMERLY
 - OT OPEN TOP PIPE
 - OCS OUTLET CONTROL STRUCTURE
 - P- POWER LINE
 - P-T- POWER & TELEPHONE LINE
 - PBX POWER BOX
 - PL PROPERTY LINE
 - PP POINT OF BEGINNING
 - PP POWER & TELEPHONE POLE
 - PTP REBAR
 - R/B RIGHT OF WAY
 - R/W SINGLE WING CATCH BASIN
 - SWCB SANITARY SEWER CASEMENT
 - SS- SANITARY SEWER
 - TBM TELEPHONE MANHOLE
 - TPOB TRUE POINT OF BEGINNING
 - T- TELEPHONE LINE
 - WI WEIR INLET
 - WM WATER METER
 - WV WATER VALVE



-TOTAL SITE AREA
IS 11.58 ACRES
-ZONING: MUO
-TAX ID#7044 009
-BLOCK AREAS

BLOCK 1 IS 4.16 AC.
BLOCK 2 IS 1.59 AC.
BLOCK 3 IS 4.34 AC.
BLOCK 4 IS 1.49 AC.

REFERENCES:
-BOUNDARY SURVEY FOR MASSEY FERGUSON, INC. AND CHICAGO TITLE INSURANCE CO. PREPARED BY PRECISION PLANNING, INC., DATED 02/23/87, LAST REVISED 02/14/88.
-GEORGIA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY PLANS PROJECT NH 108-1(19).
-BOUNDARY AND TOPOGRAPHIC SURVEY FOR MOTOROLA, INC. PREPARED BY PRECISION PLANNING, INC., DATED 8/4/95.

NOTES:
1) ELEVATIONS SHOWN ARE BASED UPON MEAN SEA LEVEL RM NO. 133 WHICH IS A CHISELED SQUARE IN TOP OF EAST END OF CONCRETE HEADWALL OF DOUBLE BOX CULVERT UNDER GA. HWY 120 AT WOLF CREEK.
2) NO PORTION OF THIS PROPERTY LIES WITHIN A DESIGNATED FLOOD HAZARD AREA AS PER F.U.R.M. PANEL NO. 130322 0185C.
3) PARKING IS BASED ON 1 SPACE FOR EVERY 250 SF FOR RETAIL, 1 SPACE FOR 300 SF OF OFFICE, 1.6 SPACES FOR EVERY DWELLING UNIT, AND 18 SPACES FOR EVERY 1,000 SF OF RESTAURANT. THIS PLAN UTILIZES ULI'S SHARED PARKING CONCEPTS. 1.35 SPACES CAN BE DEDICATED TO RESIDENTIAL.
4) THE SQUARE FOOTAGES ARE BASED UPON GROSS BUILDING AREAS AND ARE NOT LEASABLE AREAS. TOTALS INCLUDE CIRCULATION AND COMMON AREAS, UTILITY SPACES, ETC.
5) THE RESIDENTIAL DWELLING UNITS ARE BASED ON AN AVERAGE OF 1,500 GROSS SQUARE FEET (HIGH RISE) PER DWELLING UNIT.
6) IT IS INTENDED TO DEVELOP THE VINTAGE LAKES PARKWAY SITE AS ONE PHASE. THE GENERAL SEQUENCE OF PERMITTING AND CONSTRUCTION IS SHOWN AS SEQUENTIAL BLOCKS.

PROPOSED FLOOR (STORIES)		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	TOTAL	Units	Req. Parking	Provided Parking
REDEVELOPMENT																				
RETAIL		16,524															16,524	66 @ 1/250SF		
RESIDENTIAL		16,974	16,974	16,974	16,974												67,896	45 @ 1.6/100	72 @ 1.6/100	
																	84,420	139		39 SURFACE
BLOCK 1																				
RETAIL		20,980															20,980	84 @ 1/250SF		
OFFICE		14,680	14,680	14,680	14,680	14,680	14,680										86,080	294 @ 1/300SF		
HOTEL		7,850	12,667	12,667	12,667	12,667	12,667										76,000	155 @ 1.1/100		
																	185,060	548		494 - 6 LEVELS + 1 UNDERGROUND
BLOCK 2																				
RETAIL		17,203															17,203	69 @ 1/250SF		
OFFICE		9,947	41,594	41,594	41,594	41,594	41,594	41,594	41,594	41,594	41,594	41,594	41,594	41,594	41,594	41,594	551,815	1,839 @ 1/300SF		
																	569,018	1,908		380 - 4 UNDERGROUND LEVELS
BLOCK 3																				
RETAIL		4,978															4,978	20 @ 1/250 SF		
OFFICE		8,513															8,513	28 @ 1/300SF		
RESIDENTIAL		17,091	25,605	25,605	25,605	25,605	25,605	25,605	25,605	25,605	25,605	25,605	25,605	25,605	25,605	25,605	431,421	268 @ 1.6/100		
																	444,912	508		1,448 - 8 LEVELS + 4 UNDERGROUND 64 - ON STREET
TOTAL RETAIL (SF)																	59,685			
TOTAL OFFICE (SF)																	648,408			
TOTAL RESIDENTIAL (SF)																	499,317	333		
TOTAL HOTEL (SF)																	76,000	155		
TOTAL (SF)																	1,283,410	3,103	2,399	

SQUARE FOOTAGE TOTALS

BUILDINGS	TOTALS	DU	PARKING	REDEVELOPMENT	SIZE
RETAIL	169,171			53,686 SF	
RESTAURANT	108,300			8,000 SF	
OFFICE	1,815,107			648,408 SF	
HEALTH CLUB				4,000 SF	
RESIDENTIAL	333	461,408		428,917 SF	
HOTEL	165	167,148		76,000 SF	
TOTAL		2,745,230		1,283,410 SF	
OPEN SPACE				20 % (MINIMUM)	

PARKING (PROVIDED)	
ON-STREET	64
SURFACE	39
STRUCTURED	2,296
TOTAL	2,399

GROSS RESIDENTIAL DENSITY
UNITS PER ACRE = 28.75

OTHER USES
F.A.R. = 1.85
(FLOOR TO AREA RATIO)

OWNER & DEVELOPER:


VINTAGE COMMUNITIES
1720 LAKES PARKWAY
SUITE 100
LAWRENCEVILLE, GA. 30043
(770) 513-1857

24 HOUR CONTACT:

MR. BARRY MOCK
(770) 513-1857

ENGINEERING CONTACT:

ROCHESTER & ASSOC., INC.
MR. BILL SCHMID
(770) 718-0600



VICINITY MAP
SCALE: NTS

GRTA SITE PLAN
FOR :
LAKES PARKWAY
VINTAGE TRACT
LOCATED IN
LAND LOTS 35 & 44
7th DISTRICT
GWINNETT COUNTY, GEORGIA

REVISIONS		NO.	DATE	DESCRIPTION

