

REGIONAL REVIEW NOTIFICATION

Atlanta Regional Commission • 229 Peachtree Street NE | Suite 100 | Atlanta, Georgia 30303 • ph: 404.463.3100 fax: 404.463.3205 • atlantaregional.org

DATE: January 18, 2018

ARC REVIEW CODE: R1801182

TO: Mayor Vince Williams, City of Union City
ATTN TO: Ellis Still, Community Development Director
FROM: Douglas R. Hooker, Executive Director, ARC
RE: Development of Regional Impact Review



Digital signature
Original on file

The Atlanta Regional Commission (ARC) has completed a preliminary regional review of the following Development of Regional Impact (DRI). ARC reviewed the DRI with regard to its relationship to regional plans, goals and policies – and impacts it may have on the activities, plans, goals and policies of other local jurisdictions as well as state, federal and other agencies. This preliminary report does not address whether the DRI is or is not in the best interest of the local government.

Name of Proposal: Southpoint Farms Logistics Center (DRI 2759)

Review Type: DRI

Submitting Local Government: City of Union City

Date Opened: Jan. 18, 2018

Deadline for Comments: Feb. 2, 2018

Date to Close: Feb. 6, 2018

Description: This DRI is on a 101.75-acre site in the City of Union City, southeast of the intersection of Campbellton Road (SR 92) and South Fulton Parkway (SR 14-Alt). The project is proposed to consist of approximately 1,116,000 SF of warehouse/distribution space, 20,000 SF of office space, and a 24-pump gasoline/service station with 6,000 SF of convenience market. Site access is proposed via three driveways on SR 92 and one driveway/public roadway on South Fulton Parkway. The projected buildout year is 2019. The local trigger for this review is a rezoning application. This site was reviewed as part of a larger DRI known as Park Lake in 1998.

PRELIMINARY COMMENTS: According to the ARC Unified Growth Policy Map (UGPM), part of The Atlanta Region's Plan, this DRI is in the Developing Suburbs Area of the region. Developing Suburbs are areas that have developed from roughly 1995 to today and are projected to remain suburbs through 2040. ARC's Regional Development Guide (RDG) details recommended policies for areas on the UGPM. RDG information and recommendations for Developing Suburbs are listed at the bottom of these comments.

This DRI appears to manifest some aspects of regional policy in that it is in relatively close proximity to existing warehouse/distribution facilities along South Fulton Parkway to the east, offering the potential for efficiencies in freight movement. It also offers connectivity for regional freight movement through its direct access to SR 92, connecting to Douglas County and I-20 to the north and to SR 138, Roosevelt Highway/US 29 and I-85 to the south.

The project could further support The Atlanta Region's Plan if it incorporated other aspects of the regional policy detailed at the bottom of these comments, including green infrastructure and/or low-impact design (e.g., rain gardens, vegetated swales, etc.) in parking areas and site driveways, and as part of any improvements to site frontages. In addition, ARC encourages the applicant team to ensure that the development promotes a functional, safe, clearly marked and comfortable pedestrian experience on all streets, paths and parking areas on the site. This framework can offer the potential for safe internal site circulation for employees on foot or by another alternative mode. Along these lines, ARC encourages the applicant to connect the office and warehouse components with the convenience/retail component at the north end of the site via a multi-use path or other bike/ped facility, potentially parallel to SR 92. This would offer workers access to certain daytime needs (meals, goods, etc.) without adding car trips to the road network.

The intensity of this DRI generally aligns with the RDG's recommended range of densities and building heights in Developing Suburbs as well as in Rural and Development Rural areas just west of this site. In terms of land use, the project is similar to nearby warehouse/distribution space to the east and is in an area of the region that is experiencing demand for the development of these types of facilities. However, many areas around this site are predominated by forested/conservation land or low-density residential uses, including many areas and properties that are outside the City of Union City, e.g., City of South Fulton, City of Chattahoochee Hills, et al. Union City leadership and staff, along with the applicant team, should therefore collaborate to ensure sensitivity to nearby local governments, land uses and natural resources to the greatest extent possible.

ARC preliminary staff comments, related to water resources and transportation, are attached to this report.

Further to the above, regional policy recommendations for Developing Suburbs include:

- New development should connect to the existing road network and adjacent developments and use of cul-de-sacs or other means resulting in disconnected subdivisions should be discouraged
- Maximize the usefulness of existing recreational facilities in addition to providing new recreational opportunities
- Eliminate vacant or under-utilized parking areas through mechanisms such as out-parceling or conversion to community open space
- Use rain gardens, vegetated swales or other enhanced water filtration design to enhance the quality of stormwater run-off
- Identify other opportunities to foster a sense of community by developing town centers, village centers or other places of centralized location

THE FOLLOWING LOCAL GOVERNMENTS AND AGENCIES RECEIVED NOTICE OF THIS REVIEW:

ARC COMMUNITY DEVELOPMENT
ARC RESEARCH & ANALYTICS
GEORGIA DEPARTMENT OF TRANSPORTATION
AEROTROPOLIS ATLANTA CIDS
CITY OF EAST POINT
CITY OF SOUTH FULTON

ARC TRANSPORTATION ACCESS & MOBILITY
GEORGIA DEPARTMENT OF COMMUNITY AFFAIRS
GEORGIA REGIONAL TRANSPORTATION AUTHORITY
CITY OF CHATTAHOOCHEE HILLS
CITY OF FAIRBURN
DOUGLAS COUNTY

ARC NATURAL RESOURCES
GEORGIA DEPARTMENT OF NATURAL RESOURCES
METROPOLITAN ATLANTA RAPID TRANSIT AUTHORITY
CITY OF COLLEGE PARK
CITY OF PALMETTO

If you have any questions regarding this review, please contact Andrew Smith at (470) 378-1645 or asmith@atlantaregional.org. This finding will be published to the ARC review website located at <http://atlantaregional.org/plan-reviews>.



DEVELOPMENT OF REGIONAL IMPACT REQUEST FOR COMMENTS

Instructions: The project described below has been submitted to this Regional Commission for review as a Development of Regional Impact (DRI). A DRI is a development of sufficient scale or importance that it is likely to generate impacts beyond the jurisdiction in which the project is located, for example in adjoining cities or neighboring counties. We would like to consider your comments on this proposed development in our DRI review process. Therefore, please review the information about the project included in this packet and offer your comments in the space provided. The completed form should be returned to ARC on or before the specified return deadline.

Preliminary Findings of the RDC: **Southpoint Farms Logistics Center** *See the Preliminary Report.*

Comments from affected party (attach additional sheets as needed):

Individual Completing Form:

Local Government:

Department:

Telephone: ()

Signature:

Date:

Please return this form to:

Andrew Smith
Atlanta Regional Commission
International Tower
229 Peachtree Street NE, Suite 100
Atlanta, Georgia 30303
Ph. (470) 378-1645
asmith@atlantaregional.org

Return Date: ***Feb. 2, 2018***

ARC STAFF NOTICE OF REGIONAL REVIEW AND COMMENT FORM

ARC REVIEW CODE: R1801182

TO: ARC Group Managers

FROM: Andrew Smith, 470-378-1645

Reviewing staff by Jurisdiction:

Community Development: Smith, Andrew

Natural Resources: Santo, Jim

Transportation Access and Mobility: Mangham, Marquitrice

Research and Analytics: Skinner, Jim

Name of Proposal: Southpoint Farms Logistics Center (DRI 2759)

Review Type: Development of Regional Impact

Description: This DRI is on a 101.75-acre site in the City of Union City, southeast of the intersection of Campbellton Road (SR 92) and South Fulton Parkway (SR 14-Alt). The project is proposed to consist of approximately 1,116,000 SF of warehouse/distribution space, 20,000 SF of office space, and a 24-pump gasoline/service station with 6,000 SF of convenience market. Site access is proposed via three driveways on SR 92 and one driveway/public roadway on South Fulton Parkway. The projected buildout year is 2019. The local trigger for this review is a rezoning application. This site was reviewed as part of a larger DRI known as Park Lake in 1998.

Submitting Local Government: City of Union City

Date Opened: January 18, 2018

Deadline for Comments: February 2, 2018

Date to Close: February 6, 2018

Response:

- 1) ☐ Proposal is CONSISTENT with the following regional development guide listed in the comment section.
- 2) ☐ While neither specifically consistent nor inconsistent, the proposal relates to the following regional development guide listed in the comment section.
- 3) ☐ While neither specifically consistent nor inconsistent, the proposal relates to the following regional development guide listed in the comment section.
- 4) ☐ The proposal is INCONSISTENT with the following regional development guide listed in the comment section.
- 5) ☐ The proposal does NOT relate to any development guide for which this division is responsible.
- 6) ☐ Staff wishes to confer with the applicant for the reasons listed in the comment section.

COMMENTS:

[illegible]

SOUTH POINT FARMS LOGISTICS CENTER DRI
City of Union City
Natural Resources Group Review Comments

January 11, 2018

Watershed and Stream Protection

The project site is in the Deep Creek watershed, which is within the Chattahoochee River Watershed, but it is not within the 2000-foot Chattahoochee River Corridor of the Metropolitan River Protection Act. Deep Creek enters the Chattahoochee downstream of the portion of the river that serves as a water supply source in the Atlanta Region.

Both the USGS coverage for the project area and the submitted site plan show a blue-line stream, Line Creek, running along the eastern and southern boundaries of the project property. The site plan also shows an intermittent tributary to Line Creek originating on the property. Two dashed red lines roughly follow the paths of both streams, but they are not a consistent distance from the streams and are not identified as buffers. The buffers should follow the streams consistently and should be labelled. The buffer depths should be shown to indicate that they conform with the Union City Stream Buffer Protection Ordinance, which requires a 50-foot stream buffer and 75-foot impervious setback on all streams that meet the ordinance's definition of a stream. Final determination of the buffer requirement is the City's. In addition, no 25-foot State sedimentation and erosion control buffer is visible along the streams on the submitted plan. It also needs to be shown for applicable streams and other waters of the state on this property.

Stormwater / Water Quality

The project should adequately address the impacts of the proposed development on stormwater runoff and downstream water quality. During construction, the project should conform to the relevant state and federal erosion and sedimentation control requirements. After construction, as with all development, water quality will be impacted due to polluted stormwater runoff. The amount of pollutants that will be produced after construction of the proposed development are dependent on the type and intensity of the use and the impervious coverage, which will affect the design of stormwater controls for the project.

In order to address post-construction stormwater runoff quality, the project should implement stormwater management controls (structural and/or nonstructural) as found in the Georgia Stormwater Management Manual (www.georgiastormwater.com) and meet the stormwater management quantity and quality criteria outlined in the Manual. Where possible, the project should utilize the stormwater better site design concepts included in the Manual.

Development of Regional Impact Assessment of Consistency with the Regional Transportation Plan

DRI INFORMATION

DRI Number #2759
DRI Title Southpoint Farms Logistics Center
County Fulton County
City (if applicable)
Address / Location The site is located on the Southeast Corner of South Fulton Parkway and SR 92

Proposed Development Type:

Industrial development on +/-102 acres consisting of on building with 1,116,000 Sf of High Cube warehouse, 20,000 sq ft of general office and a 24 pump service station

Review Process ☐ EXPEDITED
☒ NON-EXPEDITED

REVIEW INFORMATION

Prepared by ARC Transportation Access and Mobility Division
Staff Lead Marquitrice Mangham
Copied [Click here to enter text.](#)
Date December 4, 2017

TRAFFIC STUDY

Prepared by Kimley Horn
Date January 8, 2018

REGIONAL TRANSPORTATION PLAN PROJECTS

- 01. Did the traffic analysis incorporate all projects contained in the current version of the fiscally constrained RTP which are within the study area or along major transportation corridors connecting the study area with adjacent jurisdictions?**

☒ YES *(provide the regional plan referenced and the page number of the traffic study where relevant projects are identified)*

The traffic analysis includes an appendix of project fact sheets in the network study area and a chart of programmed projects as identified in the Atlanta Region's Plan on Page 29 of the traffic analysis.

☐ NO *(provide comments below)*

REGIONAL NETWORKS

- 02. Will the development site be directly served by any roadways identified as Regional Thoroughfares?**

A Regional Thoroughfare is a major transportation corridor that serves multiple ways of traveling, including walking, bicycling, driving, and riding transit. It connects people and goods to important places in metropolitan Atlanta. A Regional Thoroughfare's operations should be managed through application of special traffic control strategies and suitable land development guidelines in order to maintain travel efficiency, reliability, and safety for all users. In light of the special function that Regional Thoroughfares serve in supporting cross-regional and interjurisdictional mobility and access, the network receives priority consideration for infrastructure investment in the Metro Atlanta region. Any access points between the development and a Regional Thoroughfare, combined with the development's on-site circulation patterns, must be designed with the goal of preserving the highest possible level of capacity and safety for all users of the roadway.

☐ NO

☒ YES *(identify the roadways and existing/proposed access points)*

The site access is proposed by one Driveway located on SR 14 (South Fulton Parkway) and three driveways on SR 92 (Campbellton Fairburn Road).

03. Will the development site be directly served by any roadways identified as Regional Truck Routes?

A Regional Truck Route is a freeway, state route or other roadway which serves as a critical link for the movement of goods to, from and within the Region by connecting airports, intermodal/multimodal facilities, distribution and warehousing centers and manufacturing clusters with the rest of the state and nation. These facilities often serve a key mobility and access function for other users as well, including drivers, bicyclists, pedestrians and transit users. A Regional Truck Route's operations should be managed through application of special traffic control strategies and suitable land development guidelines in order to maintain travel efficiency, reliability, and safety for all users. In light of the special function that Regional Truck Routes serve in supporting cross-regional and interjurisdictional mobility and access, the network receives priority consideration for infrastructure investment in the Metro Atlanta region. Any access points between the development and a Regional Truck Route, combined with the development's on-site circulation patterns, must be designed with the goal of preserving the highest possible level of capacity and safety for all users of the roadway.

☐ NO

☒ YES (*identify the roadways and existing/proposed access points*)

The site access is proposed by one Driveway located on SR 14 (South Fulton Parkway) and three driveways on SR 92 (Campbellton Fairburn Road).

04. If the development site is within one mile of an existing rail service, provide information on accessibility conditions.

Access between major developments and transit services provide options for people who cannot or prefer not to drive, expand economic opportunities by better connecting people and jobs, and can help reduce congestion. If a transit service is available nearby, but walking or bicycling between the development site and the nearest station is a challenge, the applicable local government(s) is encouraged to make the route a funding priority for future walking and bicycling infrastructure improvements.

☒ NOT APPLICABLE (*nearest station more than one mile away*)

☐ RAIL SERVICE WITHIN ONE MILE (*provide additional information below*)

Operator / Rail Line

Nearest Station

[Click here to enter name of operator and rail line](#)

Distance*

☐ Within or adjacent to the development site (0.10 mile or less)

☐ 0.10 to 0.50 mile

☐ 0.50 to 1.00 mile

Walking Access*

☐ Sidewalks and crosswalks provide sufficient connectivity

- ☐ Sidewalk and crosswalk network is incomplete
- ☐ Not applicable (*accessing the site by walking is not consistent with the type of development proposed*)

[Click here to provide comments.](#)

Bicycling Access*

- ☐ Dedicated paths, lanes or cycle tracks provide sufficient connectivity
- ☐ Low volume and/or low speed streets provide connectivity
- ☐ Route follows high volume and/or high speed streets
- ☐ Not applicable (*accessing the site by bicycling is not consistent with the type of development proposed*)

Transit Connectivity

- ☐ Fixed route transit agency bus service available to rail station
- ☐ Private shuttle or circulator available to rail station
- ☐ No services available to rail station
- ☐ Not applicable (*accessing the site by transit is not consistent with the type of development proposed*)

[Click here to provide comments.](#)

* *Following the most direct feasible walking or bicycling route to the nearest point on the development site*

05. If there is currently no rail transit service within one mile of the development site, is nearby rail service planned in the fiscally constrained RTP?

Access between major developments and transit services provide options for people who cannot or prefer not to drive, expand economic opportunities by better connecting people and jobs, and can help reduce traffic congestion. If a transit agency operates within the jurisdiction and expansion plans are being considered in the general vicinity of the development site, the agency should give consideration to how the site can be best served during the evaluation of alignments and station locations. Proactive negotiations with the development team and local government(s) are encouraged to determine whether right-of-way within the site should be identified and protected for potential future service. If direct service to the site is not feasible or cost effective, the transit agency and local government(s) are encouraged to ensure good walking and bicycling access accessibility is provided between the development and the future rail line. These improvements should be considered fundamental components of the overall transit expansion project, with improvements completed concurrent with or prior to the transit service being brought online.

- ☐ NOT APPLICABLE (rail service already exists)
- ☐ NOT APPLICABLE (accessing the site by transit is not consistent with the type of development proposed)
- ☒ NO (no plans exist to provide rail service in the general vicinity)
- ☐ YES (provide additional information on the timeframe of the expansion project below)
 - ☐ CST planned within TIP period
 - ☐ CST planned within first portion of long range period
 - ☐ CST planned near end of plan horizon

[Click here to provide comments.](#)

06. If the development site is within one mile of fixed route bus services (including any privately operated shuttles or circulators open to the general public), provide information on walking and bicycling accessibility conditions.

Access between major developments and transit services provide options for people who cannot or prefer not to drive, expand economic opportunities by better connecting people and jobs, and can help reduce congestion. If a transit service is available nearby, but walking or bicycling between the development site and the nearest station is a challenge, the applicable local government(s) is encouraged to make the connection a funding priority for future walking and bicycling infrastructure improvements.

☒ NOT APPLICABLE (nearest bus, shuttle or circulator stop more than one mile away)

☐ SERVICE WITHIN ONE MILE (provide additional information below)

Operator(s) [Click here to enter name of operator\(s\).](#)

Bus Route(s) [Click here to enter bus route number\(s\).](#)

Distance* ☐ Within or adjacent to the development site (0.10 mile or less)

☐ 0.10 to 0.50 mile

☐ 0.50 to 1.00 mile

Walking Access* ☐ Sidewalks and crosswalks provide sufficient connectivity

☐ Sidewalk and crosswalk network is incomplete

☐ Not applicable (accessing the site by walking is not consistent with the type of development proposed)

[Click here to provide comments.](#)

Bicycling Access* ☐ Dedicated paths, lanes or cycle tracks provide sufficient connectivity

☐ Low volume and/or low speed streets provide sufficient connectivity

☐ Route uses high volume and/or high speed streets

☐ Not applicable (accessing the site by bicycling is not consistent with the type of development proposed)

* Following the most direct feasible walking or bicycling route to the nearest point on the development site

07. Does a transit agency which provides rail and/or fixed route bus service operate anywhere within the jurisdiction in which the development site is located?

Access between major developments and transit services provide options for people who cannot or prefer not to drive, expand economic opportunities by better connecting people and jobs, and can help reduce traffic congestion. If a transit agency operates within the jurisdiction and a comprehensive operations plan update is undertaken, the agency should give consideration to serving the site during the evaluation of future routes, bus stops and transfer facilities. If the nature of the development is amenable to access by transit, walking or bicycling, but direct service to the site is not feasible or cost effective, the transit agency and local government(s) should ensure good walking and bicycling access accessibility is provided between the development and any routes within a one mile radius. The applicable local government(s) is encouraged to make these connections a funding priority for future walking and bicycling infrastructure improvements.

☐ NO

☒ YES

08. If the development site is within one mile of an existing multi-use path or trail, provide information on accessibility conditions.

Access between major developments and walking/bicycling facilities provide options for people who cannot or prefer not to drive, expand economic opportunities by better connecting people and jobs, and can help reduce traffic congestion. If connectivity with a regionally significant path or trail is available nearby, but walking or bicycling between the development site and those facilities is a challenge, the applicable local government(s) is encouraged to make the route a funding priority for future walking and bicycling infrastructure improvements.

☒ NOT APPLICABLE (nearest path or trail more than one mile away)

☐ YES (provide additional information below)

Name of facility

[Click here to provide name of facility.](#)

Distance

☐ Within or adjacent to development site (0.10 mile or less)

☐ 0.15 to 0.50 mile

☐ 0.50 to 1.00 mile

Walking Access*

☐ Sidewalks and crosswalks provide connectivity

☐ Sidewalk and crosswalk network is incomplete

☐ Not applicable (accessing the site by walking is not consistent with the type of development proposed)

Bicycling Access*

☐ Dedicated lanes or cycle tracks provide connectivity

☐ Low volume and/or low speed streets provide connectivity

☐ Route uses high volume and/or high speed streets

☐ Not applicable (*accessing the site by bicycling is not consistent with the type of development proposed*)

* *Following the most direct feasible walking or bicycling route to the nearest point on the development site*

OTHER TRANSPORTATION DESIGN CONSIDERATIONS

09. Does the site plan provide for the construction of publicly accessible local road or drive aisle connections with adjacent parcels?

The ability for drivers and bus routes to move between developments without using the adjacent arterial or collector roadway networks can save time and reduce congestion. Such opportunities should be considered and proactively incorporated into development site plans whenever possible.

- ☐ YES (*connections to adjacent parcels are planned as part of the development*)
- ☐ YES (*stub outs will make future connections possible when adjacent parcels redevelop*)
- ☒ NO (*the site plan precludes future connections with adjacent parcels when they redevelop*)
- ☐ OTHER (*Please explain*)

[Click here to provide comments.](#)

10. Does the site plan enable pedestrians and bicyclists to move between destinations within the development site safely and conveniently?

The ability for walkers and bicyclists to move within the site safely and conveniently reduces reliance on vehicular trips, which has congestion reduction and health benefits. Development site plans should incorporate well designed and direct sidewalk connections between all key destinations. To the extent practical, bicycle lanes or multiuse paths are encouraged for large acreage sites and where high volumes of bicyclists and pedestrians are possible.

- ☐ YES (sidewalks provided on all key walking routes and both sides of roads whenever practical and bicyclists should have no major issues navigating the street network)
- ☐ PARTIAL (some walking and bicycling facilities are provided, but connections are not comprehensive and/or direct)
- ☐ NO (walking and bicycling facilities within the site are limited or nonexistent)
- ☒ NOT APPLICABLE (the nature of the development does not lend itself to internal walking and bicycling trips)
- ☐ OTHER (Please explain)

The development is one building with a wraparound driveway. All driveway allow for both vehicle and freight access. No sidewalk or bicycle facilities are proposed.

11. Does the site plan provide the ability to construct publicly accessible bicycling and walking connections with adjacent parcels which may be redeveloped in the future?

The ability for walkers and bicyclists to move between developments safely and conveniently reduces reliance on vehicular trips, which has congestion reduction and health benefits. Such opportunities should be considered and proactively incorporated into development site plans whenever possible.

- ☐ YES (connections to adjacent parcels are planned as part of the development)
- ☐ YES (stub outs will make future connections possible when adjacent parcels redevelop)
- ☒ NO (the development site plan does not enable walking or bicycling to/from adjacent parcels)
- ☐ NO (the site plan precludes future connections with adjacent parcels when they redevelop)
- ☐ NOT APPLICABLE (adjacent parcels are not likely to develop or redevelop in the near future)
- ☐ NOT APPLICABLE (the nature of the development or adjacent parcels does not lend itself to interparcel walking and bicycling trips)

The site plan does not provide specific information or depictions of bicycle and pedestrian facilities.

12. Does the site plan effectively manage truck movements and separate them, to the extent possible, from the flow of pedestrians, bicyclists and motorists both within the site and on the surrounding road network?

The ability for delivery and service vehicles to efficiently enter and exit major developments is often key to their economic success. So is the ability of visitors and customers being able to move around safely and pleasantly within the site. To the extent practical, truck movements should be segregated by minimizing the number of conflict points with publicly accessible internal roadways, sidewalks, paths and other facilities.

- ☐ YES (truck routes to serve destinations within the site are clearly delineated, provide ample space for queuing and turning around, and are separated from other users to the extent practical)
- ☐ PARTIAL (while one or more truck routes are also used by motorists and/or interface with primary walking and bicycling routes, the site plan mitigates the potential for conflict adequately)
- ☒ NO (one or more truck routes serving the site conflict directly with routes likely to be used heavily by pedestrians, bicyclists and/or motorists)
- ☐ NOT APPLICABLE (the nature of the development will not generate a wide variety of users and/or very low truck volumes, so the potential for conflict is negligible)

All four site driveways allow for the both vehicle and freight access.

RECOMMENDATIONS

13. Do the transportation network recommendations outlined in the traffic study appear to be feasible from a constructability standpoint?

- ☐ UNKNOWN (additional study is necessary)
- ☒ YES (based on information made available through the review process; does not represent a thorough engineering / financial analysis)
- ☐ NO (see comments below)

Click here to enter text.

14. Is ARC aware of any issues with the development proposal which may result in it being opposed by one or more local governments, agencies or stakeholder groups?

- ☒ NO (based on information shared with ARC staff prior to or during the review process; does not reflect the outcome of an extensive stakeholder engagement process)
- ☐ YES (see comments below)

Click here to enter text.

15. ARC offers the following additional comments for consideration by the development team and/or the applicable local government(s):

None



Developments of Regional Impact

[DRI Home](#)
[Tier Map](#)
[Apply](#)
[View Submissions](#)
[Login](#)

DRI #2759

DEVELOPMENT OF REGIONAL IMPACT Initial DRI Information

This form is to be completed by the city or county government to provide basic project information that will allow the RDC to determine if the project appears to meet or exceed applicable DRI thresholds. Refer to both the [Rules for the DRI Process](#) and the [DRI Tiers and Thresholds](#) for more information.

Local Government Information

Submitting Local Government: Union City

Individual completing form: Ellis Still

Telephone: 770-515-7955

E-mail: estill@unioncityga.org

*Note: The local government representative completing this form is responsible for the accuracy of the information contained herein. If a project is to be located in more than one jurisdiction and, in total, the project meets or exceeds a DRI threshold, the local government in which the largest portion of the project is to be located is responsible for initiating the DRI review process.

Proposed Project Information

Name of Proposed Project: Southpoint Farms Logistics Center

Location (Street Address, GPS Coordinates, or Legal Land Lot Description): Southeast quadrant of South Fulton Parkway and Campbellton-Fairburn Road

Brief Description of Project: Mixed Use Development consisting of Industrial, commercial and office on 101.75 acres.

Development Type:

- | | | |
|--|---|---|
| <input type="radio"/> (not selected) | <input type="radio"/> Hotels | <input type="radio"/> Wastewater Treatment Facilities |
| <input type="radio"/> Office | <input checked="" type="radio"/> Mixed Use | <input type="radio"/> Petroleum Storage Facilities |
| <input type="radio"/> Commercial | <input type="radio"/> Airports | <input type="radio"/> Water Supply Intakes/Reservoirs |
| <input type="radio"/> Wholesale & Distribution | <input type="radio"/> Attractions & Recreational Facilities | <input type="radio"/> Intermodal Terminals |
| <input type="radio"/> Hospitals and Health Care Facilities | <input type="radio"/> Post-Secondary Schools | <input type="radio"/> Truck Stops |
| <input type="radio"/> Housing | <input type="radio"/> Waste Handling Facilities | <input type="radio"/> Any other development types |
| <input type="radio"/> Industrial | <input type="radio"/> Quarries, Asphalt & Cement Plants | |

If other development type, describe:

Project Size (# of units, floor area, etc.): 1,116,000 sqft of warehouse, 20,000 sqft of office, and gas station/convenience store

Developer: PDC Atlanta, LLC

Mailing Address: 9040 Roswell Road

Address 2: Suite 140

City: Atlanta State: GA Zip: 30350

Telephone: 404-921-2006

Email: kcasteel@panattoni.com

Is property owner different from developer/applicant? ☐ (not selected) ☒ Yes ☐ No

If yes, property owner: Regency Centers - Equity One Southwest Portfolio Inc.

Is the proposed project entirely located within your local government's jurisdiction? ☐ (not selected) ☒ Yes ☐ No

If no, in what additional jurisdictions is the project located?

Is the current proposal a continuation or expansion of a previous DRI? ☐ (not selected) ☐ Yes ☒ No

If yes, provide the following information: Project Name:
Project ID:

The initial action being requested of the local government for this project:

- ☒ Rezoning
- ☐ Variance
- ☐ Sewer
- ☐ Water
- ☐ Permit
- ☐ Other

Is this project a phase or part of a larger overall project? ☐ (not selected) ☐ Yes ☒ No

If yes, what percent of the overall project does this project/phase represent?

Estimated Project Completion Dates: This project/phase: August 31, 2019
Overall project: August 31, 2019

[Back to Top](#)

[GRTA DRI Page](#) | [ARC DRI Page](#) | [RC Links](#) | [DCA DRI Page](#) | [Site Map](#) | [Statements](#) | [Contact](#)



Developments of Regional Impact

[DRI Home](#)[Tier Map](#)[Apply](#)[View Submissions](#)[Login](#)

DRI #2759

DEVELOPMENT OF REGIONAL IMPACT Additional DRI Information

This form is to be completed by the city or county government to provide information needed by the RDC for its review of the proposed DRI. Refer to both the [Rules for the DRI Process](#) and the [DRI Tiers and Thresholds](#) for more information.

Local Government Information

Submitting Local Government: Union City
Individual completing form: Ellis Still
Telephone: 770-515-7955
Email: estill@unioncityga.org

Project Information

Name of Proposed Project: Southpoint Farms Logistics Center
DRI ID Number: 2759
Developer/Applicant: PDC Atlanta, LLC
Telephone: 404-921-2006
Email(s): dprior@panattoni.com

Additional Information Requested

Has the RDC identified any additional information required in order to proceed with the official regional review process? (If no, proceed to Economic Impacts.)
☐ (not selected) ☒ Yes ☐ No

If yes, has that additional information been provided to your RDC and, if applicable, GRTA?
☐ (not selected) ☒ Yes ☐ No

If no, the official review process can not start until this additional information is provided.

Economic Development

Estimated Value at Build-Out: 100,000,000

Estimated annual local tax revenues (i.e., property tax, sales tax) likely to be generated by the proposed development: 600,000

Is the regional work force sufficient to fill the demand created by the proposed project?
☐ (not selected) ☒ Yes ☐ No

Will this development displace any existing uses?
☐ (not selected) ☒ Yes ☐ No

If yes, please describe (including number of units, square feet, etc):

Water Supply

Name of water supply provider for this site: City of Atlanta

What is the estimated water supply demand to be generated by the project, measured in Millions of Gallons Per Day (MGD)?

0.1 MGD

Is sufficient water supply capacity available to serve the proposed project?

☐ (not selected) ☒ Yes ☐ No

If no, describe any plans to expand the existing water supply capacity:

Is a water line extension required to serve this project?

☐ (not selected) ☐ Yes ☒ No

If yes, how much additional line (in miles) will be required?

Wastewater Disposal

Name of wastewater treatment provider for this site:

Fulton County

What is the estimated sewage flow to be generated by the project, measured in Millions of Gallons Per Day (MGD)?

0.085MGPD

Is sufficient wastewater treatment capacity available to serve this proposed project?

☐ (not selected) ☒ Yes ☐ No

If no, describe any plans to expand existing wastewater treatment capacity:

Is a sewer line extension required to serve this project?

☐ (not selected) ☐ Yes ☒ No

If yes, how much additional line (in miles) will be required?

Land Transportation

How much traffic volume is expected to be generated by the proposed development, in peak hour vehicle trips per day? (If only an alternative measure of volume is available, please provide.)

6,168 Daily Trips, per traffic study; 428 AM Peak Hour Trips; 566 PM Peak Hour Trips

Has a traffic study been performed to determine whether or not transportation or access improvements will be needed to serve this project?

☐ (not selected) ☒ Yes ☐ No

Are transportation improvements needed to serve this project?

☐ (not selected) ☒ Yes ☐ No

If yes, please describe below: Please refer to traffic study performed by Kimley-Horn and Associates, Inc.

Solid Waste Disposal

How much solid waste is the project expected to generate annually (in tons)?

900 tons

Is sufficient landfill capacity available to serve this proposed project?

☐ (not selected) ☒ Yes ☐ No

If no, describe any plans to expand existing landfill capacity:

Will any hazardous waste be generated by the development?

☐ (not selected) ☐ Yes ☒ No

If yes, please explain:

Stormwater Management

What percentage of the site is projected to be impervious surface once the proposed development has been constructed?

54.5%

Describe any measures proposed (such as buffers, detention or retention ponds, pervious parking areas) to mitigate the project's impacts on stormwater management: Project will comply with City and County's stormwater ordinance and development regulations.

Environmental Quality

Is the development located within, or likely to affect any of the following:

1. Water supply watersheds? ☐ (not selected) ☐ Yes ☒ No
2. Significant groundwater recharge areas? ☐ (not selected) ☐ Yes ☒ No
3. Wetlands? ☐ (not selected) ☒ Yes ☐ No
4. Protected mountains? ☐ (not selected) ☐ Yes ☒ No
5. Protected river corridors? ☐ (not selected) ☐ Yes ☒ No
6. Floodplains? ☐ (not selected) ☐ Yes ☒ No
7. Historic resources? ☐ (not selected) ☐ Yes ☒ No
8. Other environmentally sensitive resources? ☐ (not selected) ☐ Yes ☒ No

If you answered yes to any question above, describe how the identified resource(s) may be affected:
Limited amount of jurisdictional waters impacts will be permitted through US Corps of Engineers.

[Back to Top](#)

[GRTA DRI Page](#) | [ARC DRI Page](#) | [RC Links](#) | [DCA DRI Page](#) | [Site Map](#) | [Statements](#) | [Contact](#)

SOUTHPOINT FARMS LOGISTICS CENTER

DRI #2759

OWNER/DEVELOPER

MR. KEVIN CASTEEL
PANATTONI DEVELOPMENT
9040 ROSWELL ROAD
SUITE 140
ATLANTA, GA 30350
404-921-2006 PHONE
KCASTEEL@PANATTONI.COM

ENGINEER/ DESIGNER

SCOTT L. GARDNER, P.E.
EBERLY & ASSOCIATES, INC.
1852 CENTURY PLACE, SUITE 202
ATLANTA, GEORGIA 30345
678-287-4728 PHONE
SGARDNER@EBERLY.NET

TRAFFIC CONSULTANT

JOHN WALKER P.E.
KIMLEY-HORN & ASSOCIATES
PARKWAY 400
BUILDING 2
11720 AMBER PARK DRIVE
SUITE 600
ALPHARETTA, GA 30009
470-273-3181
JOHN.WALKER@KIMLEY-HORN.COM

SITE DATA

TOTAL ACREAGE = 101.75 ACRES
TOTAL BUILDING AREA = 1,142,000 SF
IMPERVIOUS AREA = 55.5 ACRES (54.5%)
GROSS BLDG DENSITY PER ACRE = 11,224 SF/AC
NET BLDG DENSITY PER ACRE = 13,032 SF/ AC

ZONING:TCMU TOWN CENTER MIXED USE

AUTO FUELING STATION PARKING REQUIRED = 33 SPACES
 AUTO FUELING STATION PARKING PROVIDED = 34 SPACES

2 STORY OFFICE BUILDING PARKING REQUIRED = 67 SPACES
2 STORY OFFICE BUILDING PARKING PROVIDED = 67 SPACES

INDUSTRIAL WAREHOUSE PARKING REQUIRED = 462 SPACES
INDUSTRIAL WAREHOUSE PARKING PROVIDED = 513 SPACES

LOCATION MAP
N.T.S.

FULTON COUNTY
HOSUING
AUTHORITY
ZONED TCMU

DRI SITE PLAN

**SOUTHPOINT FARMS
LOGISTICS CENTER
DRI #2759
UNION CITY, GA**

PROJECT:

REVISIONS:

[illegible]

UNIT 5: THE FUTURE


DATE:	01/04/18
DRAWN BY:	SG
PROJECT MANAGER:	SG
CLIENT:	SG

PROJECT NO.

17-077

SHEET NO.

C1.0



EL770.452.7849 FAX770.452.0086
52 CENTURY PLACE, SUITE 202
ATLANTA, GEORGIA 30345
WWW.EBERLY.NET

LAND PLANNING
CIVIL ENGINEERING
LANDSCAPE ARCHITECTURE

CALL 811
FREE THROUGHOUT
THE U.S.A.
THREE WORKING DAYS
BEFORE YOU DIG.

GEORGIA811
www.Georgia811.com

**Know what's below.
Call before you dig.**

Know what's below.
Call before you dig.

© 2016, EBERLY & ASSOCIATES, INC.