



REGIONAL REVIEW NOTIFICATION

Atlanta Regional Commission • 40 Courtland Street NE, Atlanta, Georgia 30303 • ph: 404.463.3100 • fax: 404.463.3105 • www.atlantaregional.com

DATE: Feb 13 2007

ARC REVIEW CODE: R702131

TO: Mayor Shirley Franklin
ATTN TO: Shelley Peart, Principal Planner
FROM: Charles Krautler, Director

NOTE: This is digital
signature. Original on file.

The Atlanta Regional Commission (ARC) has received the following proposal and is initiating a regional review to seek comments from potentially impacted jurisdictions and agencies. The ARC requests your comments regarding related to the proposal not addressed by the Commission's regional plans and policies.

Name of Proposal: Lenox Road Towers

Review Type: Development of Regional Impact

Description: The proposed Lenox Towers is a residential high rise development on 3.8 acres in the City of Atlanta at Lenox Square Mall. The proposed development will consist of 700 high rise condominium units. Lenox Square Mall is a 1.7 million square foot retail shopping center on 64.17 acres located in the southwest quadrant of Peachtree Road and Lenox Road. The proposed development is located in the southwest corner of Lenox Square Mall along the north side of East Paces Ferry Road. Site access to the proposed development is along East Paces Ferry Road and Lenox Square Parkway.

Submitting Local Government: City of Atlanta

Date Opened: Feb 13 2007

Deadline for Comments: Feb 27 2007

Earliest the Regional Review can be Completed: Mar 15 2007

THE FOLLOWING LOCAL GOVERNMENTS AND AGENCIES ARE RECEIVING NOTICE OF THIS REVIEW:

ARC LAND USE PLANNING
ARC DATA RESEARCH
GEORGIA DEPARTMENT OF NATURAL RESOURCES
METRO ATLANTA RAPID TRANSIT AUTHORITY
DEKALB COUNTY

ARC TRANSPORTATION PLANNING
ARC AGING DIVISION
GEORGIA DEPARTMENT OF TRANSPORTATION
CITY OF ATLANTA SCHOOLS
CITY OF SANDY SPRINGS

ARC ENVIRONMENTAL PLANNING
GEORGIA DEPARTMENT OF COMMUNITY AFFAIRS
GEORGIA REGIONAL TRANSPORTATION AUTHORITY
FULTON COUNTY
BUCKHEAD CID

Attached is information concerning this review.

If you have any questions regarding this review, Please call Haley Fleming, Review Coordinator, at (404) 463-3311. If the ARC staff does not receive comments from you by 2007-02-27 00:00:00, we will assume that your agency has no additional comments and we will close the review. Comments by email are strongly encouraged.

The ARC review website is located at: <http://www.atlantaregional.com/landuse> .



REGIONAL REVIEW NOTIFICATION

Atlanta Regional Commission • 40 Courtland Street NE, Atlanta, Georgia 30303 • ph: 404.463.3100 • fax:404.463.3105 • www.atlantaregional.com



DEVELOPMENT OF REGIONAL IMPACT

DRI- REQUEST FOR COMMENTS

Instructions: The project described below has been submitted to this Regional Development Center for review as a Development of Regional Impact (DRI). A DRI is a development of sufficient project of sufficient scale or importance that it is likely to have impacts beyond the jurisdiction in which the project is actually located, such as adjoining cities or neighboring counties. We would like to consider your comments on this proposed development in our DRI review process. Therefore, please review the information about the project included on this form and give us your comments in the space provided. The completed form should be returned to the RDC on or before the specified return deadline.

Preliminary Findings of the RDC: **Lenox Road Towers** See the Preliminary Report .

Comments from affected party (attach additional sheets as needed):

Individual Completing form:

Local Government:

Department:

Telephone: ()

Signature:

Date:

Please Return this form to:

Haley Fleming, Atlanta Regional Commission
40 Courtland Street NE
Atlanta, GA 30303
Ph. (404) 463-3311 Fax (404) 463-3254
hffleming@atlantaregional.com


Return Date: Feb 27 2007

Preliminary Report:	February 13, 2007	DEVELOPMENT OF REGIONAL IMPACT REVIEW REPORT	Project:	Lenox Towers #1290
Final Report Due:	March 15, 2007		Comments Due By:	February 27, 2007

PRELIMINARY REPORT SUMMARY

PROPOSED DEVELOPMENT:

The proposed Lenox Towers is a residential high rise development on 3.8 acres in the City of Atlanta at Lenox Square Mall. The proposed development will consist of 700 high rise condominium units. Lenox Square Mall is a 1.7 million square foot retail shopping center on 64.17 acres located in the southwest quadrant of Peachtree Road and Lenox Road. The proposed development is located in the southwest corner of Lenox Square Mall along the north side of East Paces Ferry Road. Site access to the proposed development is along East Paces Ferry Road and Lenox Square Parkway.



PROJECT PHASING:

The project is being proposed in one phase with a project build out date for 2010.

GENERAL

According to information on the review form or comments received from potentially affected governments:

Is the proposed project consistent with the host-local government's comprehensive plan? If not, identify inconsistencies.

The project site is currently zoned C-3. The zoning will not change for the site. The DRI trigger for the proposed development is a height variance request. Information submitted for the review states that the proposed development is consistent with the City of Atlanta's Future Land Use Plan, which designates the area as high density commercial.

Is the proposed project consistent with any potentially affected local government's comprehensive plan? If not, identify inconsistencies.

This will be determined based on comments received from potentially impacted local governments.

Will the proposed project impact the implementation of any local government's short-term work program? If so, how?

This will be determined based on comments received from potentially impacted local governments.

Will the proposed project generate population and/or employment increases in the Region? If yes, what would be the major infrastructure and facilities improvements needed to support the increase?

Yes, the proposed development would increase the need for services in the area for existing and future residents.

Preliminary Report:	February 13, 2007	DEVELOPMENT OF REGIONAL IMPACT REVIEW REPORT	Project:	Lenox Towers #1290
Final Report Due:	March 15, 2007		Comments Due By:	February 27, 2007

What other major development projects are planned near the proposed project?

The ARC has reviewed other major development projects, known as Area Plan (1984 to 1991) or as a DRI (1991 to present), within a mile radius of the proposed project.

Year	Name
2006	Peachtree Stratford MUD
2006	Cityplace at Buckhead
2003	W Hotel and Residences
2000	Bass Buckhead
1989	Atlanta Plaza II
1989	Atlanta Plaza I
1986	City Center
1986	Lenox Park
1985	Lenox Ferncliff

Will the proposed project displace housing units or community facilities? If yes, identify and give number of units, facilities, etc.

No, the proposed development will not displace any housing units or community facilities. Based on information submitted for the review, the site is currently parking for the mall.

Will the development cause a loss in jobs? If yes, how many?

No.

Is the proposed development consistent with regional plans and policies?

The proposed development meets many of ARC's Regional Development Policies, as well as the Atlanta Region Unified Growth Policy Map. The proposed development is located within a mega corridor which is defined as being the most intensely developed radial corridor in the region. The proposed development is also located adjacent to a regional center area defined as an intense retail, office, and residential uses that can be integrated or separate.

The proposed development meets the Developed Area Policies in ARC's Regional Development Policies by placing growth along principal transportation corridors and activity centers. By infilling the Lenox Square mall site, the development is adding to the existing mix of uses at a greater intensity, offering more opportunities and housing choices for individuals to live and work within the Buckhead area. The Buckhead area surrounding the proposed development has an existing job to housing imbalance. Typically, to be balanced an area should have 1.5 jobs per household (JPH). This employment center has one of the severest jobs to housing imbalance in the metro region. This proposed development helps to rectify some of this imbalance by providing opportunities for individuals to live and work in close proximity to one another.

The ARC forecasts population and employment growth in the City of Atlanta over the next 25 years. ARC forecasts a population of over 85,000 residents within the Buckhead area and an employment base of greater than 114,000 jobs. The incorporation of this mix of uses in a vertical design will

Preliminary Report:	February 13, 2007	DEVELOPMENT OF REGIONAL IMPACT <u>REVIEW REPORT</u>	Project:	Lenox Towers #1290
Final Report Due:	March 15, 2007		Comments Due By:	February 27, 2007

continue to ensure high quality livability and quality of life in the Buckhead area while accommodating the employment and housing growth pressures that Atlanta are experiencing.

Preliminary Report:	February 13, 2007	DEVELOPMENT OF REGIONAL IMPACT REVIEW REPORT	Project:	Lenox Towers #1290
Final Report Due:	March 15, 2007		Comments Due By:	February 27, 2007

PRELIMINARY REPORT

Regional Development Plan Policies

1. Provide sustainable economic growth in all areas of the region.
2. Encourage new homes and jobs within existing developed areas of the region, focusing on principal transportation corridors, the Central Business District, activity centers, and town centers.
3. Increase opportunities for mixed use development, transit-oriented development, infill, and redevelopment.
4. At strategic regional locations, plan and retail industrial and freight land uses.
5. Design transportation infrastructure to protect the context of adjoining development and provide a sense of place appropriate for our communities.
6. Promote the reclamation of Brownfield development sites.
7. Protect the character and integrity of existing neighborhoods, while also meeting the needs of communities to grow.
8. Encourage a variety of homes styles, densities, and price ranges in locations that are accessible to jobs and services to ensure housing for individuals and families of all incomes and age groups.
9. Promote new communities that feature greenspace and neighborhood parks, pedestrian scale, support transportation options, and provide an appropriate mix of uses and housing types.
10. Promote sustainable and energy efficient development.
11. Protect environmentally-sensitive areas including wetlands, floodplains, small water supply watersheds, rivers and stream corridors.
12. Increase the amount, quality, and connectivity, and accessibility of greenspace.
13. Provide strategies to preserve and enhance historic resources
14. Through regional infrastructure planning, limit growth in undeveloped areas of the region
15. Assist local governments to adopt growth management strategies that make more efficient use of existing infrastructure.
16. Inform and involve the public in planning at regional, local, and neighborhood levels.
17. Coordinate local policies and regulations to support Regional Policies
18. Encourage the development of state and regional growth management policy.

BEST LAND USE PRACTICES

Practice 1: Keep vehicle miles of travel (VMT) below the area average. Infill developments are the best at accomplishing this. The more remote a development the more self contained it must be to stay below the area average VMT.

Practice 2: Contribute to the area's jobs-housing balance. Strive for a job-housing balance with a three to five mile area around a development site.

Practice 3: Mix land uses at the finest grain the market will bear and include civic uses in the mix.

Practice 4: Develop in clusters and keep the clusters small. This will result in more open space preservation.



Preliminary Report:	February 13, 2007	DEVELOPMENT OF REGIONAL IMPACT REVIEW REPORT	Project:	Lenox Towers #1290
Final Report Due:	March 15, 2007		Comments Due By:	February 27, 2007

Practice 5: Place higher-density housing near commercial centers, transit lines and parks. This will enable more walking, biking and transit use.

Practice 6: Phase convenience shopping and recreational opportunities to keep pace with housing. These are valued amenities and translate into less external travel by residents if located conveniently to housing.

Practice 7: Make subdivisions into neighborhoods with well-defined centers and edges. This is traditional development.

Practice 8: Reserve school sites and donate them if necessary to attract new schools. This will result in neighborhood schools which provide a more supportive learning environment than larger ones.

Practice 9: Concentrate commercial development in compact centers or districts, rather than letting it spread out in strips.

Practice 10: Make shopping centers and business parks into all-purpose activity centers. Suburban shopping centers and their environs could be improved by mixing uses and designing them with the pedestrian amenities of downtowns.

Practice 11: Tame auto-oriented land uses, or at least separate them from pedestrian-oriented uses. Relegate "big box" stores to areas where they will do the least harm to the community fabric.

BEST TRANSPORTATION PRACTICES

Practice 1: Design the street network with multiple connections and relatively direct routes.

Practice 2: Space through-streets no more than a half mile apart, or the equivalent route density in a curvilinear network.

Practice 3: Use traffic-calming measures liberally. Use short streets, sharp curves, center islands, traffic circles, textured pavements, speed bumps and raised crosswalks.

Practice 4: Keep speeds on local streets down to 20 mph.

Practice 5: Keep speeds on arterials and collectors down to 35 mph (at least inside communities).

Practice 6: Keep all streets as narrow as possible and never more than four traffic lanes wide. Florida suggests access streets 18 feet, subcollectors 26 feet, and collectors from 28 feet to 36 feet depending on lanes and parking.

Practice 7: Align streets to give buildings energy-efficient orientations. Allow building sites to benefit from sun angles, natural shading and prevailing breezes.

Practice 8: Avoid using traffic signals wherever possible and always space them for good traffic progression.

Practice 9: Provide networks for pedestrians and bicyclists as good as the network for motorists.

Practice 10: Provide pedestrians and bicyclists with shortcuts and alternatives to travel along high-volume streets.

Practice 11: Incorporate transit-oriented design features.

Practice 12: Establish TDM programs for local employees. Ridesharing, modified work hours, telecommuting and others.

BEST ENVIRONMENTAL PRACTICES

Practice 1: Use a systems approach to environmental planning. Shift from development orientation to basins or ecosystems planning.

Practice 2: Channel development into areas that are already disturbed.

Practice 3: Preserve patches of high-quality habitat, as large and circular as possible, feathered at the edges and connected by wildlife corridors. Stream corridors offer great potential.

Practice 4: Design around significant wetlands.

Practice 5: Establish upland buffers around all retained wetlands and natural water bodies.

Practice 6: Preserve significant uplands, too.

Practice 7: Restore and enhance ecological functions damaged by prior site activities.

Practice 8: Detain runoff with open, natural drainage systems. The more natural the system the more valuable it will be for wildlife and water quality.

Practice 9: Design man-made lakes and stormwater ponds for maximum environmental value. Recreation, stormwater management, wildlife habitat and others.

Preliminary Report:	February 13, 2007	DEVELOPMENT OF REGIONAL IMPACT REVIEW REPORT	Project:	Lenox Towers #1290
Final Report Due:	March 15, 2007		Comments Due By:	February 27, 2007

Practice 10: Use reclaimed water and integrated pest management on large landscaped areas. Integrated pest management involves controlling pests by introducing their natural enemies and cultivating disease and insect resistant grasses.

Practice 11: Use and require the use of Xeriscape™ landscaping. Xeriscaping™ is water conserving landscape methods and materials.

BEST HOUSING PRACTICES

Practice 1: Offer “life cycle” housing. Providing integrated housing for every part of the “life cycle”.

Practice 2: Achieve an average net residential density of six to seven units per acre without the appearance of crowding. Cluster housing to achieve open space.

Practice 3: Use cost-effective site development and construction practices. Small frontages and setbacks; rolled curbs or no curbs; shared driveways.

Practice 4: Design of energy-saving features. Natural shading and solar access.

Practice 5: Supply affordable single-family homes for moderate-income households.

Practice 6: Supply affordable multi-family and accessory housing for low-income households.

Practice 7: Tap government housing programs to broaden and deepen the housing/income mix.

Practice 8: Mix housing to the extent the market will bear.

LOCATION

Where is the proposed project located within the host-local government's boundaries?

The proposed development is located in the City of Atlanta. The proposed development is located in the southwest corner of Lenox Square Mall, along the north side of East Paces Ferry Road. .

Will the proposed project be located close to the host-local government's boundary with another local government? If yes, identify the other local government.

The proposed development is entirely within the City of Atlanta. DeKalb County is less than a mile.

Will the proposed project be located close to land uses in other jurisdictions that would benefit, or be negatively impacted, by the project? Identify those land uses which would benefit and those which would be negatively affected and describe impacts.

To be determined during the review.

ECONOMY OF THE REGION

According to information on the review form or comments received from potentially affected governments:

What new taxes will be generated by the proposed project?

Estimated value of the development is \$253,000,000 with an expected \$3,000,000 in annual local tax revenues.

How many short-term jobs will the development generate in the Region?

Preliminary Report:	February 13, 2007	DEVELOPMENT OF REGIONAL IMPACT REVIEW REPORT	Project:	Lenox Towers #1290
Final Report Due:	March 15, 2007		Comments Due By:	February 27, 2007

Short-term jobs will depend upon construction schedule.

Is the regional work force sufficient to fill the demand created by the proposed project?

Yes.

In what ways could the proposed development have a positive or negative impact on existing industry or business in the Region?

To be determined during the review.

NATURAL RESOURCES

The proposed residential towers project is located on the Lenox Square property which is currently almost entirely impervious in a dense urban area. There are no streams on the property. Stormwater will be handled by the City stormwater system.

HISTORIC RESOURCES

Will the proposed project be located near a national register site? If yes, identify site.

None have been identified.

In what ways could the proposed project create impacts that would damage the resource?

Not applicable.

In what ways could the proposed project have a positive influence on efforts to preserve or promote the historic resource?

Not applicable.

INFRASTRUCTURE

Transportation

How many site access points will be associated with the proposed development? What are their locations?

Vehicular access to the site is proposed at two locations.

- Access to tower 1 is proposed along East Paces Ferry Road.
- Access to tower 2 is proposed along Lenox Square Parkway.

Preliminary Report:	February 13, 2007	DEVELOPMENT OF REGIONAL IMPACT REVIEW REPORT	Project:	Lenox Towers #1290
Final Report Due:	March 15, 2007		Comments Due By:	February 27, 2007

How much traffic (both average daily and peak am/pm) will be generated by the proposed project?

Kimley-Horn and Associates performed the transportation analysis. GRTA and ARC review staff agreed with the methodology and assumptions used in the analysis. The net trip generation is based on the rates published in the 7th edition of the Institute of Transportation Engineers (ITE) Trip Generation report; they are listed in the following table:

Land Use	A.M. Peak Hour			P.M. Peak Hour			24-Hour
	Enter	Exit	2-Way	Enter	Exit	2-Way	2-Way
700 Condominiums	44	188	232	157	96	253	2864
Reductions	-4	-19	-23	-16	-10	-26	-286
TOTAL NEW TRIPS	40	169	209	141	86	227	2578

What are the existing traffic patterns and volumes on the local, county, state and interstate roads that serve the site?

Incorporating the trip generation results, the transportation consultant distributed the traffic on the current roadway network. An assessment of the existing Level of Service (LOS) and projected LOS based on the trip distribution findings helps to determine the study network. The results of this exercise determined the study network, which has been approved by ARC and GRTA. If analysis of an intersection or roadway results in a substandard LOS "D", then the consultant recommends improvements.


Projected traffic volumes from the Regional Travel Demand Model are compared to the assigned capacity of facilities within the study network. This data is used to calculate a volume to capacity (V/C) ratio. The V/C ratio values that define the LOS thresholds vary depending on factors such as the type of terrain traversed and the percent of the road where passing is prohibited. LOS A is free-flow traffic from 0 to 0.3, LOS B is decreased free-flow from 0.31 to 0.5, LOS C is limited mobility from 0.51 to 0.75, LOS D is restricted mobility from 0.76 to 0.9, LOS E is at or near capacity from 0.91 to 1.00, and LOS F is breakdown flow with a V/C ratio of 1.01 or above. As a V/C ratio reaches 0.8, congestion increases. The V/C ratios for traffic in various network years are presented in the following table. Any facilities that have a V/C ratio of 1.0 or above are considered congested.

Preliminary Report:	February 13, 2007	DEVELOPMENT OF REGIONAL IMPACT REVIEW REPORT	Project:	Lenox Towers #1290
Final Report Due:	March 15, 2007		Comments Due By:	February 27, 2007

V/C Ratios



2005 AM Peak




2005 PM Peak




2010 AM Peak



2010 PM Peak



2030 AM Peak



2030 PM Peak

Legend	
AM/PM Peak V/C Ratio	LOS A: 0 - 0.3 LOS B: 0.31 - 0.5 LOS C: 0.51 - 0.75 LOS D: 0.76 - 0.90 LOS E: 0.91 - 1.00 LOS F: 1.01+

For the V/C ratio graphic, the data is based on 2005, 2010 and 2030 A.M./P.M. peak volume data generated from ARC's travel demand model for Mobility 2030, the 2030 RTP and the FY 2006-2011 TIP, approved in March of 2006. The travel demand model incorporates lane addition improvements and updates to the network as appropriate. As the life of the RTP progresses, volume and/or V/C ratio data may appear inconsistent due to (1) effect of implementation of nearby new or expanded facilities or (2) impact of socio-economic data on facility types.

Preliminary Report:	February 13, 2007	DEVELOPMENT OF REGIONAL IMPACT REVIEW REPORT	Project:	Lenox Towers #1290
Final Report Due:	March 15, 2007		Comments Due By:	February 27, 2007

List the transportation improvements that would affect or be affected by the proposed project.

2006-2011 TIP*

ARC Number	Route	Type of Improvement	Scheduled Completion Year
AT-215B	SR 141 (PEACHTREE ROAD) MULTIMODAL CORRIDOR ENHANCEMENTS	Roadway Operations	2009
AT-215C	SR 141 (PEACHTREE ROAD) MULTIMODAL CORRIDOR ENHANCEMENTS	Roadway Operations	2009
AT-215D	SR 141 (PEACHTREE ROAD) MULTIMODAL CORRIDOR ENHANCEMENTS	Roadway Operations	2009

2030 RTP*

ARC Number	Route	Type of Improvement	Scheduled Completion Year
AT-049	LENOX ROAD	Roadway Capacity	2015
DK-076	EAST ROXBORO ROAD	Roadway Capacity	2020

**The ARC Board adopted the 2030 RTP and FY 2006-2011 TIP on February 22, 2006. USDOT approved on March 30th, 2006.*

Summarize the transportation improvements as recommended by consultant in the traffic study for Lenox Towers.

According to the findings, there will be some capacity deficiencies as a result of future year **background** traffic. The transportation consultant has made recommendations for improvements to be carried out in order to upgrade the existing level of service.

Peachtree Road at Lenox Square Parkway

- Optimize traffic signal timings.

According to the findings, there will be some capacity deficiencies as a result of future year **total** traffic. The transportation consultant has made recommendations for improvements to be carried out in order to upgrade the existing level of service. The recommendations stated in the no-build condition are also applicable to the build condition.

East Paces Ferry Road at Lenox Square Parkway

- Re-align existing Lenox Square Parkway to intersect with East Paces Ferry Road at MARTA bus entrance, creating a four-leg, stop-controlled intersection.

East Paces Ferry Road at Driveway 1

- Construct the southbound approach, exiting the development, as a single lane approach.

Lenox Square Parkway at Driveway 2

- Construct the northbound approach, exiting the development, as a single lane approach.

Preliminary Report:	February 13, 2007	DEVELOPMENT OF REGIONAL IMPACT REVIEW REPORT	Project:	Lenox Towers #1290
Final Report Due:	March 15, 2007		Comments Due By:	February 27, 2007

Is the site served by transit? If so, describe type and level of service and how it will enhance or be enhanced by the presence of transit? Are there plans to provide or expand transit service in the vicinity of the proposed project?

The proposed development is located approximately 1,000 ft southwest of the MARTA Lenox Rail Station. This rail station is serviced by three MARTA bus routes, #23, #25 and #47, as well as by the Green and the Blue routes of the BUC bus service. Regional transit connectivity is provided in the vicinity of the proposed site on a scale seldom found in the Atlanta region.

What transportation demand management strategies does the developer propose (carpool, flex-time, transit subsidy, etc.)?

None proposed.

The development **PASSES** the ARC's Air Quality Benchmark test.

Air Quality Impacts/Mitigation (based on ARC strategies)	Credits	Total
w/in 1/4 mile of Bus Stop (CCT, MARTA, Other)	3%	3%
w/in 1/2 mile of MARTA Rail Station	5%	5%
Located within a Transportation Management Association	3%	3%
Bike/ped networks connecting to land uses within and adjoining the site	4%	4%
Total Calculated ARC Air Quality Credits (15 % reduction required)		15%

What are the conclusions of this review? Is the transportation system (existing and planned) capable of accommodating these trips?

According to the impact analysis in the traffic study, one intersection will operate below the acceptable level of service in the future year background condition prior to implementing the recommended improvement. Implementing the recommended improvement allows the identified intersection to operate at the minimum acceptable level of service standard. Implementing the recommended improvements pertaining to the future year total condition allows the identified intersection to function above the minimum acceptable level of service standard. The area surrounding the proposed development suffers from high levels of peak hour congestion. It is suggested that all recommended improvements be implemented, prior to completion of construction, to minimize the impacts the proposed project will have on the surrounding roadway network.

INFRASTRUCTURE

Wastewater and Sewage

Wastewater is estimated at 0.17 MGD based on information submitted for the review.



Preliminary Report:	February 13, 2007	DEVELOPMENT OF REGIONAL IMPACT REVIEW REPORT	Project:	Lenox Towers #1290
Final Report Due:	March 15, 2007		Comments Due By:	February 27, 2007

Which facility will treat wastewater from the project?

R.M Clayton will provide wastewater treatment for the proposed development.

What is the current permitted capacity and average annual flow to this facility?

The capacity of R.M. Clayton Site is listed below:

PERMITTED CAPACITY MMF, MGD ₁	DESIGN CAPACITY MMF, MGD	2001 MMF, MGD	2008 MMF, MGD	2008 CAPACITY AVAILABLE +/-, MGD	PLANNED EXPANSION	REMARKS
No Flow Limit	122	99	120	2	None. Plan before EPD to permit plant at design capacity consistent with draft Chattahoochee River Model.	Existing Consent Decree with the U.S. EPA and Georgia EPD require CSO and SSO improvements throughout the City of Atlanta wastewater system by 2007 and 2014, respectively

MMF: Maximum Monthly Flow. Mgd: million of gallons per day.

*₁ Source: Metropolitan North Georgia Water Planning District **SHORT-TERM WASTEWATER CAPACITY PLAN**, August 2002.*

What other major developments will be served by the plant serving this project?

ARC has reviewed a number of major developments that will be served by this plant.

INFRASTRUCTURE

Water Supply and Treatment

How much water will the proposed project demand?

Water demand also is estimated at 0.18 MGD based on information submitted for the review.

How will the proposed project's demand for water impact the water supply or treatment facilities of the jurisdiction providing the service?

Information submitted with the review suggests that there is sufficient water supply capacity available for the proposed project.

Preliminary Report:	February 13, 2007	DEVELOPMENT OF REGIONAL IMPACT REVIEW REPORT	Project:	Lenox Towers #1290
Final Report Due:	March 15, 2007		Comments Due By:	February 27, 2007

INFRASTRUCTURE

Solid Waste

How much solid waste will be generated by the project? Where will this waste be disposed?

Information submitted with the review 670 tons of solid waste per year and the waste will be disposed of in the City of Atlanta.

Will the project create any unusual waste handling or disposal problems?

No.

Are there any provisions for recycling this project's solid waste.

None stated.

INFRASTRUCTURE

Other facilities

According to information gained in the review process, will there be any unusual intergovernmental impacts on:

- **Levels of governmental services?**
- **Administrative facilities?**
- **Schools?**
- **Libraries or cultural facilities?**
- **Fire, police, or EMS?**
- **Other government facilities?**
- **Other community services/resources (day care, health care, low income, non-English speaking, elderly, etc.)?**

To be determined during the review

HOUSING

Will the proposed project create a demand for additional housing?

No, the proposed development will add 700 new residential units.

Will the proposed project provide housing opportunities close to existing employment centers?

Preliminary Report:	February 13, 2007	DEVELOPMENT OF REGIONAL IMPACT REVIEW REPORT	Project:	Lenox Towers #1290
Final Report Due:	March 15, 2007		Comments Due By:	February 27, 2007

Yes, once developed, this project will provide housing opportunities for existing employment centers as well as providing opportunities for individuals to live and work within close proximity to one another.

Is there housing accessible to the project in all price ranges demanded?

The site proposed for the development is located in Census Tract 96. This tract had a 26.9 percent increase in number of housing units from 2000 to 2006 according to ARC's Population and Housing Report. The report shows that 24 percent, respectively, of the housing units are single-family, compared to 69 percent for the region; thus indicating is a variety of multi-family housing options around the development area.

Is it likely or unlikely that potential employees of the proposed project will be able to find affordable* housing?

Likely, assuming the development is approved with multiple price ranges of housing.

* Defined as 30 percent of the income of a family making 80 percent of the median income of the Region – FY 2000 median income of \$51,649 for family of 4 in Georgia.

Your DRI ID NUMBER for this submission is: **1290**
 Use this number when filling out a DRI REVIEW REQUEST.
 Submitted on: 12/11/2006 5:37:29 PM

DEVELOPMENT OF REGIONAL IMPACT

Fulton County Initial DRI Information (Form1b)

This form is intended for use by local governments within the Metropolitan Region Tier that are also within the jurisdiction of the Georgia Regional Transportation Authority (GRTA). The form is to be completed by the city or county government for submission to your Regional Development Center (RDC), GRTA and DCA. This form provides basic project information that will allow the RDC to determine if the project appears to meet or exceed applicable DRI thresholds. Local governments should refer to both the Rules for the DRI Process 110-12-3 and the DRI Tiers and Thresholds established by DCA.

Local Government Information

Submitting Local Government:	City of Atlanta
*Individual completing form and Mailing Address:	Shelley Peart City of Atlanta 55 Trinity Ave, Suite 3350 Atlanta, GA 30303
Telephone:	404-330-6781
Fax:	404-658-7491
E-mail (only one):	speart@atlantaga.gov

*Note: The local government representative completing this form is responsible for the accuracy of the information contained herein. If a project is to be located in more than one jurisdiction and, in total, the project meets or exceeds a DRI threshold, the local government in which the largest portion of the project is to be located is responsible for initiating the DRI review process.

Proposed Project Information

Name of Proposed Project:	Lenox Towers	
Development Type	Description of Project	Thresholds
Housing	700 Luxury High Rise Condo Dwelling Units	View Thresholds
Developer / Applicant and Mailing Address:	Bob Dorfman - Lenox Towers 315 Biscayne Blvd Miami, FL 33131	
Telephone:	305-460-9900	
Fax:	305-460-9911	
Email:	bdorfman@relatedgroup.com	
Name of property owner(s) if different from developer/applicant:	Simon Properties	
Provide Land-Lot-District Number:		
What are the principal streets or roads providing vehicular access to the site?	Lenox Square Parkway and East Paces Ferry Road	
Provide name of nearest street(s) or intersection:	Lenox Road @ East Paces Ferry Road	
Provide geographic coordinates (latitude/longitude) of the center of the proposed project (optional):	/	
If available, provide a link to a website providing a general location map of the proposed project (optional). (http://www.mapquest.com or http://www.mapblast.com are helpful sites to use.):		
Is the proposed project entirely located within your local government's jurisdiction?	Y	
If yes, how close is the boundary of the nearest other local government?	3/4 Mile to DeKalb County	

If no, provide the following information:	
In what additional jurisdictions is the project located?	
In which jurisdiction is the majority of the project located? (give percent of project)	Name: (NOTE: This local government is responsible for initiating the DRI review process.)
	Percent of Project:
Is the current proposal a continuation or expansion of a previous DRI?	N
If yes, provide the following information (where applicable):	Name:
	Project ID:
	App #:
The initial action being requested of the local government by the applicant is:	Variance Height Variance
What is the name of the water supplier for this site?	City of Atlanta
What is the name of the wastewater treatment supplier for this site?	RM Clayton Water Reclamation Center
Is this project a phase or part of a larger overall project?	N
If yes, what percent of the overall project does this project/phase represent?	
Estimated Completion Dates:	This project/phase: Overall project: 2010

Local Government Comprehensive Plan

Is the development consistent with the local government's comprehensive plan, including the Future Land Use Map?	Y
If no, does the local government intend to amend the plan/map to account for this development?	
If amendments are needed, when will the plan/map be amended?	

Service Delivery Strategy

Is all local service provision consistent with the countywide Service Delivery Strategy?	Y
If no, when will required amendments to the countywide Service Delivery Strategy be complete?	

Land Transportation Improvements

Are land transportation or access improvements planned or needed to support the proposed project?	Y
If yes, how have these improvements been identified:	
Included in local government Comprehensive Plan or Short Term Work Program?	
Included in other local government plans (e.g. SPLOST/LOST Projects, etc.)?	
Included in an official Transportation Improvement Plan (TIP)?	
Developer/Applicant has identified needed improvements?	
Other (Please Describe): Identified in DRI Traffic Study performed by Kimley-Horn & Assoc.	Y

Submitted on: 2/6/2007 5:07:42 PM

DEVELOPMENT OF REGIONAL IMPACT DRI Review Initiation Request (Form2a)

Local Government Information

Submitting Local Government:	City of Atlanta
Individual completing form:	Shelley Peart
Telephone:	404-330-6781
Fax:	404-658-7491
Email (only one):	speart@atlantaga.gov

Proposed Project Information

Name of Proposed Project:	Lenox Towers
DRI ID Number:	1290
Developer/Applicant:	Bob Dorfman
Telephone:	305-460-9900
Fax:	305-460-9911
Email(s):	bdorfman@relatedgroup.com

DRI Review Process

Has the RDC identified any additional information required in order to proceed with the official regional review process? (If no, proceed to Economic Impacts.)	N
If yes, has that additional information been provided to your RDC and, if applicable, GRTA?	
If no, the official review process can not start until this additional information is provided.	

Economic Impacts

Estimated Value at Build-Out:	\$253,000,000.
Estimated annual local tax revenues (i.e., property tax, sales tax) likely to be generated by the proposed development:	\$3,000,000.
Is the regional work force sufficient to fill the demand created by the proposed project?	Y
If the development will displace any existing uses, please describe (using number of units, square feet., etc): Existing parking & a Suntrust Bank drive through facility	

Community Facilities Impacts

Water Supply

Name of water supply provider for this site:	City of Atlanta
What is the estimated water supply demand to be generated by the project, measured in Millions of Gallons Per Day (MGD)?	0.18 MGD
Is sufficient water supply capacity available to serve the proposed project?	Y
If no, are there any current plans to expand existing water supply capacity?	
If there are plans to expand the existing water supply capacity, briefly describe below:	
If water line extension is required to serve this project, how much additional line (in miles) will be required?	

Wastewater Disposal

Name of wastewater treatment provider for this site:	RM Clayton
What is the estimated sewage flow to be generated by the project, measured in Millions of Gallons Per Day (MGD)?	0.17 MGD
Is sufficient wastewater treatment capacity available to serve this proposed project?	Y
If no, are there any current plans to expand existing wastewater treatment capacity?	
If there are plans to expand existing wastewater treatment capacity, briefly describe below:	
If sewer line extension is required to serve this project, how much additional line (in miles) will be required?	

Land Transportation

How much traffic volume is expected to be generated by the proposed development, in peak hour vehicle trips per day? (If only an alternative measure of volume is available, please provide.)	2,577 vpd; 232am peak/253 pm peak
Has a traffic study been performed to determine whether or not transportation or access improvements will be needed to serve this project?	Y
If yes, has a copy of the study been provided to the local government?	Y
If transportation improvements are needed to serve this project, please describe below: Please refer to the traffic study prepared by Kimley-Horn and Associates.	

Solid Waste Disposal

How much solid waste is the project expected to generate annually (in tons)?	670 Tons
Is sufficient landfill capacity available to serve this proposed project?	Y
If no, are there any current plans to expand existing landfill capacity?	
If there are plans to expand existing landfill capacity, briefly describe below:	
Will any hazardous waste be generated by the development? If yes, please explain below:	
	N

Stormwater Management

What percentage of the site is projected to be impervious surface once the proposed development has been constructed?	85%
Is the site located in a water supply watershed?	N
If yes, list the watershed(s) name(s) below:	
Describe any measures proposed (such as buffers, detention or retention ponds, pervious parking areas) to mitigate the project's impacts on stormwater management:	

Environmental Quality


Is the development located within, or likely to affect any of the following:	
1. Water supply watersheds?	N
2. Significant groundwater recharge areas?	N
3. Wetlands?	N
4. Protected mountains?	N
5. Protected river corridors?	N
If you answered yes to any question 1-5 above, describe how the identified resource(s) may be affected below:	
Has the local government implemented environmental regulations consistent with the Department of Natural Resources' Rules for Environmental Planning Criteria?	Y

Is the development located within, or likely to affect any of the following:

1. Floodplains?	N
2. Historic resources?	N
3. Other environmentally sensitive resources?	N

If you answered yes to any question 1-3 above, describe how the identified resource(s) may be affected below:


This document, together with the concepts and designs presented herein, as an instrument of service, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kinley-Horn and Associates, Inc. shall be without liability to Kinley-Horn and Associates, Inc.

[illegible]

LOCATION MAP
NOT TO SCALE

SURVEYOR: TERRAMARK LAND SURVEYING, INC.
1890-C COBB INTERNATIONAL BLVD.
KENNESAW, GEORGIA 30152
PHONE: (770) 421-1927
FAX: (770) 421-0552
CONTACT: PAUL CANNON, RLS

ZONING:	C3
SITE ACREAGE:	64.17 ACRES
<u>PROPOSED LAND USE:</u>	RESIDENTIAL
TOTAL DWELLING UNITS:	700
TOWER I:	296
TOWER II:	404
RESIDENTIAL UNITS/ACRE:	10.91
BUILDING HEIGHT:	
TOWER I:	31 STORIES, 399 FEET
TOWER II:	40 STORIES, 496 FEET



 **Kimley-Horn
and Associates, Inc.**

1817 WEST PEACHTREE ST., NW
SUITE 601
ATLANTA, GEORGIA 30308-1121

Tel: (404) 419-8700
Fax: (404) 419-8701

©2007 Kimley-Horn and Associates, Inc.

[illegible]

LENOX SQUARE
LENOX SQUARE PARKWAY & GEORGIA 400
DRI SITE PLAN

LATED GROUP OF FLORIDA
2828 CORAL WAY
PENTHOUSE 1
MIAMI, FL 33145
CONTACT: BOB DORFMAN